


































Kataloški broj	Proizvođač ili sveprisilnik, naziv brend	Proizvodnja po porudžbini	Ugovorna vršnjačka	Direktni link do proizvoda	Naziv modela	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)	
Industrijski akumulatorski odvrtići EXACT										
0602490431		x	0	2	<a href="http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.431">http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.431</a>	Odvrtić EXACT 6	Obrtni moment: 1,6 Nm Brzina: 600 min-1 Smer rotacije: levoddesno Prihvat alata: 1/4" brzozetsna glava; bez baterije	3165140232135	50.700,00	60.840,00
0602490432		x	0	2	<a href="http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.432">http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.432</a>	Odvrtić EXACT 6	Obrtni moment: 1,6 Nm Brzina: 600 min-1 Smer rotacije: levoddesno Prihvat alata: 1/4" brzozetsna glava; 9,6 V / 1,8 Ah baterija	3165140251334	62.300,00	74.760,00
0602490433		0	x	4	<a href="http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.433">http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.433</a>	Odvrtić EXACT 2	Obrtni moment: 0,6-2 Nm Brzina: 600 min-1 Smer rotacije: levoddesno Prihvat alata: 1/4" brzozetsna glava; bez baterije	3165140251372	50.700,00	60.840,00
0602490435		0	x	4	<a href="http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.435">http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.435</a>	Odvrtić EXACT 9	Obrtni moment: 1,5-9 Nm Brzina: 350 min-1 Smer rotacije: levoddesno Prihvat alata: 1/4" brzozetsna glava; bez baterije	3165140259560	62.300,00	74.760,00
0602490437		0	x	4	<a href="http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.437">http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.437</a>	Odvrtić EXACT 4	Obrtni moment: 1-4 Nm Brzina: 900 min-1 Smer rotacije: levoddesno Prihvat alata: 1/4" brzozetsna glava; bez baterije	3165140272520	62.300,00	74.760,00
0602490439		0	x	4	<a href="http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.439">http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.439</a>	Odvrtić EXACT 7	Obrtni moment: 1,5-7 Nm Brzina: 150 min-1 Smer rotacije: levoddesno Prihvat alata: 1/4" brzozetsna glava; bez baterije	3165140278591	74.900,00	89.880,00
0602490441		x	0	2	<a href="http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.441">http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.441</a>	Odvrtić EXACT 12	Obrtni moment: 1,5-12 Nm Brzina: 400 min-1 Smer rotacije: levoddesno Prihvat alata: 1/4" brzozetsna glava; bez baterije	3165140251341	61.600,00	73.920,00
0602490442		x	0	2	<a href="http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.442">http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.442</a>	Odvrtić EXACT 12	Obrtni moment: 1,5-12 Nm Brzina: 400 min-1 Smer rotacije: levoddesno Prihvat alata: 1/4" brzozetsna glava; baterija 12V/2,4Ah	3165140251358	73.700,00	88.440,00
0602490443		0	x	4	<a href="http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.443">http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.443</a>	Odvrtić EXACT 8	Obrtni moment: 1,5-8 Nm Brzina: 600 min-1 Smer rotacije: levoddesno Prihvat alata: 1/4" brzozetsna glava; bez baterije	3165140260435	61.600,00	73.920,00
0602490447		0	x	5	<a href="http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.444">http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.444</a>	Odvrtić EXACT 700	Obrtni moment: 1,5-8 Nm Brzina: 700 min-1 Smer rotacije: levoddesno Prihvat alata: 1/4" brzozetsna glava; bez baterije	3165140329842	73.700,00	88.440,00
0602490469		0	x	5	<a href="http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.469">http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.469</a>	Odvrtić EXACT 60	Obrtni moment: 1 - 5,5 Nm Brzina: 60 min-1 Smer rotacije: levoddesno Prihvat alata: 1/4" brzozetsna glava; bez baterije	3165140243915	74.900,00	89.880,00
0602490471		0	0	2	<a href="http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.445">http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.445</a>	Odvrtić EXACT 1100	Obrtni moment: 1 - 4 Nm Brzina: 1100min-1 Smer rotacije: levoddesno Prihvat alata: 1/4" brzozetsna glava	3165140269207	74.900,00	89.880,00

Industrijski akumulatorski odvrtići Ugaoni odvrtić Exact										
Kataloški broj	Proizvođač ili sveprisilnik, naziv brend	Proizvodnja po porudžbini	Ugovorna vršnjačka	Direktni link do proizvoda	Naziv modela	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)	
0602490635		0	x	4	<a href="http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.635">http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.635</a>	Ugaoni odvrtić Exact 15	Obrtni moment: 2 - 15 Nm Brzina: 250 min-1 Smer rotacije: levoddesno Prihvat alata: 3/8" spoljni kvadrat; bez baterije	3165140304221	165.600,00	198.720,00
0602490636		0	x	4	<a href="http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.636">http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.636</a>	Ugaoni odvrtić Exact 15	Obrtni moment: 2 - 15 Nm Brzina: 250 min-1 Smer rotacije: levoddesno Prihvat alata: 3/8" spoljni kvadrat; sa baterijom 9,6 V / 1,8 Ah	3165140304238	177.300,00	212.760,00
0602490638		0	x	5	<a href="http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.638">http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.638</a>	Ugaoni odvrtić Exact 8	Obrtni moment: 2 - 8 Nm Brzina: 420 min-1 Smer rotacije: levoddesno Prihvat alata: 3/8" spoljni kvadrat; sa baterijom 9,6 V / 1,8 Ah	3165140316477	177.300,00	212.760,00
0602490647		0	x	5	<a href="http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.647">http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.647</a>	Ugaoni odvrtić Exact 2	Obrtni moment: 0,7-2 Nm Brzina: 110 min-1 Smer rotacije: levoddesno Prihvat alata: 1/4" spoljni kvadrat, 1/4" unutrašnji šestougao, 3/8" spoljni kvadrat 1/4" brzozetsna glava; bez baterije	3165140345910	121.600,00	145.920,00
0602490650		0	x	4	<a href="http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.650">http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.650</a>	Ugaoni odvrtić Exact 15	Obrtni moment: 2-15 Nm Brzina: 250 min-1 Smer rotacije: levoddesno Prihvat alata: 1/4" spoljni kvadrat, 1/4" unutrašnji šestougao, 3/8" spoljni kvadrat 1/4" brzozetsna glava; bez baterije	3165140325080	121.600,00	145.920,00
0602490651		0	x	5	<a href="http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.651">http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.651</a>	Ugaoni odvrtić Exact 8	Obrtni moment: 2-8 Nm Brzina: 420 min-1 Smer rotacije: levoddesno Prihvat alata: 1/4" spoljni kvadrat, 1/4" unutrašnji šestougao, 3/8" spoljni kvadrat 1/4" brzozetsna glava; bez baterije	3165140326933	121.600,00	145.920,00
0602490652		0	x	5	<a href="http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.652">http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.652</a>	Ugaoni odvrtić Exact 6	Obrtni moment: 1,5-6 Nm Brzina: 650 min-1 Smer rotacije: levoddesno Prihvat alata: 1/4" spoljni kvadrat, 1/4" unutrašnji šestougao, 3/8" spoljni kvadrat 1/4" brzozetsna glava; bez baterije	3165140326940	121.600,00	145.920,00
0602490656		0	x	4	<a href="http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.656">http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.656</a>	Ugaoni odvrtić Exact 3	Obrtni moment: 0,7-3 Nm Brzina: 420 min-1 Smer rotacije: levoddesno Prihvat alata: 1/4" spoljni kvadrat, 1/4" unutrašnji šestougao, 3/8" spoljni kvadrat 1/4" brzozetsna glava; bez baterije	3165140329569	121.600,00	145.920,00
0602490669		0	x	5	<a href="http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.669">http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.669</a>	Ugaoni odvrtić Exact 7	Obrtni moment: 2-7 Nm Brzina: 110 min-1 Smer rotacije: levoddesno Prihvat alata: 1/4" spoljni kvadrat, 1/4" unutrašnji šestougao, 3/8" spoljni kvadrat 1/4" brzozetsna glava; bez baterije	3165140345897	121.600,00	145.920,00
0602490671		0	x	4	<a href="http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.671">http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.671</a>	Ugaoni odvrtić Exact 30	Obrtni moment: 8-30 Nm Brzina: 220 min-1 Smer rotacije: levoddesno Prihvat alata: 3/8" spoljni kvadrat; bez baterije	3165140333313	131.300,00	157.560,00
0602490672		0	x	4	<a href="http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.672">http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.672</a>	Ugaoni odvrtić Exact 30	Obrtni moment: 8-30 Nm Brzina: 220 min-1 Smer rotacije: levoddesno Prihvat alata: 3/8" spoljni kvadrat; sa baterijom 14,4 V / 2,4 Ah	3165140333320	144.600,00	173.520,00
0602490673		0	x	4	<a href="http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.673">http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.673</a>	Ugaoni odvrtić Exact 23	Obrtni moment: 7-23 Nm Brzina: 320 min-1 Smer rotacije: levoddesno Prihvat alata: 1/4" spoljni kvadrat, 1/4" unutrašnji šestougao, 3/8" spoljni kvadrat 1/4" brzozetsna glava; bez baterije	3165140345927	131.300,00	157.560,00
0602490675		0	x	5	<a href="http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.675">http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.675</a>	Ugaoni odvrtić Exact 17	Obrtni moment: 5-17 Nm Brzina: 560 min-1 Smer rotacije: levoddesno Prihvat alata: 1/4" spoljni kvadrat, 1/4" unutrašnji šestougao, 3/8" spoljni kvadrat 1/4" brzozetsna glava; bez baterije	3165140367301	131.300,00	157.560,00
0602490690		0	x	5	<a href="http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.690">http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.690</a>	Ugaoni odvrtić Exact 14 CF	Obrtni moment: 1,4-10 Nm Brzina: 350 min-1 Smer rotacije: levoddesno Prihvat alata: 1/4" spoljni kvadrat, 1/4" unutrašnji šestougao, 3/8" spoljni kvadrat 1/4" brzozetsna glava; bez baterije	3165140400039	132.500,00	159.000,00
0602490693		0	x	5	<a href="http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.693">http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.693</a>	Ugaoni odvrtić Exact 22 CF	Obrtni moment: 5-16 Nm Brzina: 440 min-1 Smer rotacije: levoddesno Prihvat alata: 1/4" spoljni kvadrat, 1/4" unutrašnji šestougao, 3/8" spoljni kvadrat 1/4" brzozetsna glava; bez baterije	3165140419123	145.800,00	174.960,00
0602490691		0	x	5	<a href="http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.691">http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.490.691</a>	Ugaoni odvrtić Exact 29 CF	Obrtni moment: 5,7-31 Nm Brzina: 300 min-1 Smer rotacije: levoddesno Prihvat alata: 1/4" spoljni kvadrat, 1/4" unutrašnji šestougao, 3/8" spoljni kvadrat 1/4" brzozetsna glava; bez baterije	3165140419116	145.800,00	174.960,00

Access-Point za industrijske akumulatorske odvrtiće EXACT * Blue Tooth										
Kataloški broj	Proizvođač ili sveprisilnik, naziv brend	Proizvodnja po porudžbini	Ugovorna vršnjačka	Direktni link do proizvoda	Naziv modela	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)	
0602491003		#N/A	#N/A	#N/A	<a href="http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.491.001">http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.491.001</a>	EXAConnect	Ethernet interfejs (TCP/IP), dva RS 422 porta, 24 V input i output	3165140755000	426.500,00	511.800,00

Industrijski akumulatorski odvrtići EXACT * Blue Tooth										
Kataloški broj	Proizvođač ili sveprisilnik, naziv brend	Proizvodnja po porudžbini	Ugovorna vršnjačka	Direktni link do proizvoda	Naziv modela	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)	
0602491431		0	x	5	<a href="http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.491.431">http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.491.431</a>	Odvrtić EXACT 6 BT	Obrtni moment: 1 - 6 Nm Brzina: 600 min-1 Smer rotacije: levoddesno Prihvat alata: 1/4" brzozetsna glava; bez baterije	3165140394253	89.400,00	107.280,00
0602491433		0	x	5	<a href="http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.491.433">http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.491.433</a>	Odvrtić EXACT 2 BT	Obrtni moment: 0,6 - 2 Nm Brzina: 600 min-1 Smer rotacije: levoddesno Prihvat alata: 1/4" brzozetsna glava; bez baterije	3165140410489	89.400,00	107.280,00
0602491435		0	x	5	<a href="http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.491.435">http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.491.435</a>	Odvrtić EXACT 9 BT	Obrtni moment: 1,5 - 9 Nm Brzina: 350 min-1 Smer rotacije: levoddesno Prihvat alata: 1/4" brzozetsna glava; bez baterije	3165140394277	108.300,00	129.960,00
0602491437		0	x	5	<a href="http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.491.437">http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.491.437</a>	Odvrtić EXACT 4 BT	Obrtni moment: 1 - 4 Nm Brzina: 900 min-1 Smer rotacije: levoddesno Prihvat alata: 1/4" brzozetsna glava; bez baterije	3165140396608	108.300,00	129.960,00
0602491439		0	x	5	<a href="http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.491.439">http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.491.439</a>	Odvrtić EXACT 7 BT	Obrtni moment: 1,5 - 7 Nm Brzina: 150 min-1 Smer rotacije: levoddesno Prihvat alata: 1/4" brzozetsna glava; bez baterije	3165140410496	126.900,00	152.280,00
0602491441		0	x	5	<a href="http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.491.441">http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.491.441</a>	Odvrtić EXACT 12 BT	Obrtni moment: 1,5 - 12 Nm Brzina: 400 min-1 Smer rotacije: levoddesno Prihvat alata: 1/4" brzozetsna glava; bez baterije	3165140375238	107.600,00	129.120,00
0602491443		0	x	5	<a href="http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.491.443">http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.491.443</a>	Odvrtić EXACT 8 BT	Obrtni moment: 1,5 - 8 Nm Brzina: 600 min-1 Smer rotacije: levoddesno Prihvat alata: 1/4" brzozetsna glava; bez baterije	3165140410502	107.600,00	129.120,00




Industrijski akumulatorski odvrtići Ugaoni odvrtić Exact * Blue Tooth										
Kataloški broj	Proizvođač ili sveprisilnik, naziv brend	Proizvodnja po porudžbini	Ugovorna vršnjačka	Direktni link do proizvoda	Naziv modela	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)	
0602491647		0	x	5	<a href="http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.491.647">http://www.boschproductiontools.com/wfopbtcs2-en/search.htm?searchterm=0.602.491.647</a>	Ugaoni odvrtić Exact 2 BT	Obrtni moment: 0,7-2 Nm Brzina: 110 min-1 Smer rotacije: levoddesno Prihvat alata: 1/4" spoljni kvadrat, 1/4" unutrašnji šestougao, 3/8" spoljni kvadrat 1/4" brzozetsna glava; bez baterije, Bluetooth Class 2 Modul	3165140400152	221.300,00	265.560,00

0602491650		0	x	5	<a href="http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.491.650">http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.491.650</a>	Ugaoni odvrtac Exact 15 BT	Obrtni moment 2-15 Nm Brzina 250 min-1 Smerni rotacije: levodесno Prihvat alata: 1/4" spolni kvadrat, 1/4" unutrašnji šestougaonik, 3/8" spolni kvadrat 1/4" brzoostreza glava; bez baterije, Bluetooth Class 2 Modul	316514040090	221,300.00	265,560.00
0602491651		0	x	5	<a href="http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.491.651">http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.491.651</a>	Ugaoni odvrtac Exact 8 BT	Obrtni moment 2-8 Nm Brzina 420 min-1 Smerni rotacije: levodесno Prihvat alata: 1/4" spolni kvadrat, 1/4" unutrašnji šestougaonik, 3/8" spolni kvadrat 1/4" brzoostreza glava; bez baterije, Bluetooth Class 2 Modul	316514040093	221,300.00	265,560.00
0602491652		0	x	5	<a href="http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.491.652">http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.491.652</a>	Ugaoni odvrtac Exact 6 BT	Obrtni moment 1,5-6 Nm Brzina 650 min-1 Smerni rotacije: levodесno Prihvat alata: 1/4" spolni kvadrat, 1/4" unutrašnji šestougaonik, 3/8" spolni kvadrat 1/4" brzoostreza glava; bez baterije, Bluetooth Class 2 Modul	316514040091	221,300.00	265,560.00
0602491656		0	x	5	<a href="http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.491.656">http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.491.656</a>	Ugaoni odvrtac Exact 3 BT	Obrtni moment 0,7-3 Nm Brzina 420 min-1 Smerni rotacije: levodесno Prihvat alata: 1/4" spolni kvadrat, 1/4" unutrašnji šestougaonik, 3/8" spolni kvadrat 1/4" brzoostreza glava; bez baterije, Bluetooth Class 2 Modul	316514040107	221,300.00	265,560.00
0602491669		0	x	5	<a href="http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.491.669">http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.491.669</a>	Ugaoni odvrtac Exact 7 BT	Obrtni moment 2-7 Nm Brzina 150 min-1 Smerni rotacije: levodесno Prihvat alata: 1/4" spolni kvadrat, 1/4" unutrašnji šestougaonik, 3/8" spolni kvadrat 1/4" brzoostreza glava; bez baterije, Bluetooth Class 2 Modul	316514040169	221,300.00	265,560.00
0602491671		0	x	5	<a href="http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.491.671">http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.491.671</a>	Ugaoni odvrtac Exact 30 BT	Obrtni moment 8-30 Nm Brzina 220 min-1 Smerni rotacije: levodесno Prihvat alata: 1/4" spolni kvadrat, 1/4" unutrašnji šestougaonik, 3/8" spolni kvadrat 1/4" brzoostreza glava; bez baterije, Bluetooth Class 2 Modul	3165140394291	241,900.00	290,280.00
0602491673		0	x	5	<a href="http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.491.673">http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.491.673</a>	Ugaoni odvrtac Exact 23 BT	Obrtni moment 7-23 Nm Brzina 300 min-1 Smerni rotacije: levodесno Prihvat alata: 1/4" spolni kvadrat, 1/4" unutrašnji šestougaonik, 3/8" spolni kvadrat 1/4" brzoostreza glava; bez baterije, Bluetooth Class 2 Modul	316514040176	241,900.00	290,280.00
0602491675		0	x	5	<a href="http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.491.675">http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.491.675</a>	Ugaoni odvrtac Exact 17 BT	Obrtni moment 5-17 Nm Brzina 560 min-1 Smerni rotacije: levodесno Prihvat alata: 1/4" spolni kvadrat, 1/4" unutrašnji šestougaonik, 3/8" spolni kvadrat 1/4" brzoostreza glava; bez baterije, Bluetooth Class 2 Modul	316514040183	241,900.00	290,280.00

Industrijski akumulatorski odvrtaci EXACT sa SEC motorom

										EAN kod	VP cena (RSD)	MP cena (RSD)
0602492431		x	0	2	<a href="http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.492.431">http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.492.431</a>	Odvrtac EXACT 1106	Obrtni moment 1-6 Nm Brzina 1100 min-1 Smerni rotacije: levodесno Prihvat alata: 1/4" brzoostreza glava; bez baterije	3165140476621	73,200.00	87,840.00		
0602492432		x	0	2	<a href="http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.492.432">http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.492.432</a>	Odvrtac EXACT 1106	Obrtni moment 1-6 Nm Brzina 1100 min-1 Smerni rotacije: levodесno Prihvat alata: 1/4" brzoostreza glava; sa baterijom 9.6 V, 1.8 Ah	3165140476638	84,600.00	101,520.00		
0602492433		0	x	4	<a href="http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.492.433">http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.492.433</a>	Odvrtac EXACT 402	Obrtni moment 0.5-2 Nm Brzina 400 min-1 Smerni rotacije: levodесno Prihvat alata: 1/4" brzoostreza glava; bez baterije	3165140474177	73,200.00	87,840.00		
0602492434		0	x	4	<a href="http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.492.434">http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.492.434</a>	Odvrtac EXACT 402	Obrtni moment 0.5-2 Nm Brzina 400 min-1 Smerni rotacije: levodесno Prihvat alata: 1/4" brzoostreza glava; sa baterijom 9.6 V, 1.8 Ah	3165140474184	84,600.00	101,520.00		
0602492435		0	x	4	<a href="http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.492.435">http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.492.435</a>	Odvrtac EXACT 459	Obrtni moment 2-9 Nm Brzina 450 min-1 Smerni rotacije: levodесno Prihvat alata: 1/4" brzoostreza glava; bez baterije	3165140476560	73,200.00	87,840.00		
0602492436		0	x	4	<a href="http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.492.436">http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.492.436</a>	Odvrtac EXACT 459	Obrtni moment 2-9 Nm Brzina 450 min-1 Smerni rotacije: levodесno Prihvat alata: 1/4" brzoostreza glava; sa baterijom 9.6 V, 1.8 Ah	3165140476577	84,600.00	101,520.00		
0602492439		0	x	5	<a href="http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.492.439">http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.492.439</a>	Odvrtac EXACT 212	Obrtni moment 2-12 Nm Brzina 275 min-1 Smerni rotacije: levodесno Prihvat alata: 1/4" brzoostreza glava; bez baterije	3165140474153	73,200.00	87,840.00		
0602492440		0	x	4	<a href="http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.492.440">http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.492.440</a>	Odvrtac EXACT 212	Obrtni moment 2-12 Nm Brzina 275 min-1 Smerni rotacije: levodесno Prihvat alata: 1/4" brzoostreza glava; sa baterijom 9.6 V, 1.8 Ah	3165140474160	84,600.00	101,520.00		
0602492441		x	0	2	<a href="http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.492.441">http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.492.441</a>	Odvrtac EXACT 412	Obrtni moment 2-12 Nm Brzina 400 min-1 Smerni rotacije: levodесno Prihvat alata: 1/4" brzoostreza glava; bez baterije	3165140466974	73,200.00	87,840.00		
0602492442		x	0	2	<a href="http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.492.442">http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.492.442</a>	Odvrtac EXACT 412	Obrtni moment 2-12 Nm Brzina 400 min-1 Smerni rotacije: levodесno Prihvat alata: 1/4" brzoostreza glava; sa baterijom 9.6 V, 1.8 Ah	3165140466981	84,600.00	101,520.00		
0602492443		0	x	4	<a href="http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.492.443">http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.492.443</a>	Odvrtac EXACT 908	Obrtni moment 2-8 Nm Brzina 900 min-1 Smerni rotacije: levodесno Prihvat alata: 1/4" brzoostreza glava; bez baterije	3165140476607	73,200.00	87,840.00		
0602492444		0	x	4	<a href="http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.492.444">http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.492.444</a>	Odvrtac EXACT 908	Obrtni moment 2-8 Nm Brzina 900 min-1 Smerni rotacije: levodесno Prihvat alata: 1/4" brzoostreza glava; sa baterijom 9.6 V, 1.8 Ah	3165140476614	84,600.00	101,520.00		
0602492445		0	x	4	<a href="http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.492.445">http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.492.445</a>	Odvrtac EXACT 610	Obrtni moment 2-10 Nm Brzina 600 min-1 Smerni rotacije: levodесno Prihvat alata: 1/4" brzoostreza glava; bez baterije	3165140476584	73,200.00	87,840.00		
0602492446		x	0	2	<a href="http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.492.446">http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.492.446</a>	Odvrtac EXACT 610	Obrtni moment 2-10 Nm Brzina 600 min-1 Smerni rotacije: levodесno Prihvat alata: 1/4" brzoostreza glava; sa baterijom 9.6 V, 1.8 Ah	3165140476591	84,600.00	101,520.00		

Industrijski akumulatorski odvrtaci SEC - ugaoni odvrtaci EXACT bez baterije 18V/1.5Ah

										EAN kod	VP cena (RSD)	MP cena (RSD)	
0602494402		#N/A	#N/A	#N/A	<a href="http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.494.601">http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.494.601</a>	Li-Ion EXACT ION 6-1500	Obrtni moment 1-6 Nm Brzina 750-1500 min-1 Smerni rotacije: levodесno Prihvat alata: 1/4" brzoostreza glava	3165140474368	78,500.00	94,200.00			
0602494400						Li-Ion EXACT ION 2-700	Obrtni moment 0,6-2 Nm Brzina 350-700 min-1 Bez baterije 18V/1.5Ah -2.607.336.559	3165140735841	78,500.00	94,200.00	NOVOI		
0602494401						Li-Ion EXACT ION 4-2000	Obrtni moment 1-4 Nm Brzina 1000-2000 min-1 Bez baterije 18V/1.5Ah -2.607.336.559	3165140735858	78,500.00	94,200.00	NOVOI		
0602494403						Li-Ion EXACT ION 8-1100	Obrtni moment 1,5-8 Nm Brzina 550-1100 min-1 Bez baterije 18V/1.5Ah -2.607.336.559	3165140735865	78,500.00	94,200.00	NOVOI		
0602494405						Li-Ion EXACT ION 12-450	Obrtni moment 1,5-12 Nm Brzina 225-450 min-1 Bez baterije 18V/1.5Ah -2.607.336.559	3165140735872	78,500.00	94,200.00	NOVOI		
0602494404		#N/A	#N/A	#N/A	<a href="http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.494.606">http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.494.606</a>	Li-Ion EXACT ION 12-700	Obrtni moment 1,5-12 Nm Brzina 350-700 min-1 Smerni rotacije: levodесno Prihvat alata: 1/4" brzoostreza glava	3165140474344	78,500.00	94,200.00			
0602494409						EXACT ION 12-450 WK	Obrtni moment 2 – 16 Nm Brz. obrtaja u praznom hodu 160 – 320 min-1 Napon 18V Kapacitet 2.0 Ah Težina (sa akumulatorom) 1.5 kg	3165140777841	88,300.00	105,960.00	NOVOI		
0602494408						EXACT ION 12-700 WK	Obrtni moment 2 – 16 Nm Brz. obrtaja u praznom hodu 250 – 500 min-1 Napon 18V Kapacitet 2.0 Ah Težina (sa akumulatorom) 1.5 kg	3165140777834	88,300.00	105,960.00	NOVOI		
0602494407						EXACT ION 8-1100 WK	Obrtni moment 2 – 11 Nm Brz. obrtaja u praznom hodu 375 – 750 min-1 Napon 18V Kapacitet 2.0 Ah Težina (sa akumulatorom) 1.5 kg	3165140777827	88,300.00	105,960.00	NOVOI		
0602494406						EXACT ION 6-1500 WK	Obrtni moment 2 – 8 Nm Brz. obrtaja u praznom hodu 525 – 1050 min-1 Napon 18V Kapacitet 2.0 Ah Težina (sa akumulatorom) 1.5 kg	3165140777810	88,300.00	105,960.00	NOVOI		

Industrijski akumulatorski odvrtaci SEC - ugaoni odvrtaci EXACT

										EAN kod	VP cena (RSD)	MP cena (RSD)
0602492611		0	x	5	<a href="http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.492.611">http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.492.611</a>	SEC-Ugaoni odvrtac Exact 1900	Obrtni moment 2-7 Nm Brzina 900 min-1 Smerni rotacije: levodесno Prihvat alata: 1/4" spolni kvadrat, 1/4" unutrašnji šestougaonik, 3/8" spolni kvadrat 1/4" brzoostreza glava; bez baterije	3165140474368	151,100.00	181,320.00		
0602492612		0	x	5	<a href="http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.492.612">http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.492.612</a>	SEC-Ugaoni odvrtac Exact 1900	Obrtni moment 2-7 Nm Brzina 900 min-1 Smerni rotacije: levodесno Prihvat alata: 1/4" spolni kvadrat, 1/4" unutrašnji šestougaonik, 3/8" spolni kvadrat 1/4" brzoostreza glava; sa baterijom 9.6V/1.8 Ah	3165140474375	162,700.00	195,240.00		
0602492609		0	x	4	<a href="http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.492.609">http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.492.609</a>	SEC-Ugaoni odvrtac Exact 10-650	Obrtni moment 2-10 Nm Brzina 650 min-1 Smerni rotacije: levodесno Prihvat alata: 1/4" spolni kvadrat, 1/4" unutrašnji šestougaonik, 3/8" spolni kvadrat 1/4" brzoostreza glava; bez baterije	3165140474344	151,100.00	181,320.00		
0602492610		0	x	4	<a href="http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.492.610">http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.492.610</a>	SEC-Ugaoni odvrtac Exact 10-650	Obrtni moment 2-10 Nm Brzina 650 min-1 Smerni rotacije: levodесno Prihvat alata: 1/4" spolni kvadrat, 1/4" unutrašnji šestougaonik, 3/8" spolni kvadrat 1/4" brzoostreza glava; sa baterijom 9.6V/1.8 Ah	3165140474351	162,700.00	195,240.00		
0602492607		0	0	2	<a href="http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.492.607">http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.492.607</a>	SEC-Ugaoni odvrtac Exact 14-420	Obrtni moment 2-14 Nm Brzina 420 min-1 Smerni rotacije: levodесno Prihvat alata: 1/4" spolni kvadrat, 1/4" unutrašnji šestougaonik, 3/8" spolni kvadrat 1/4" brzoostreza glava; bez baterije	3165140474320	151,100.00	181,320.00		
0602492608		0	x	4	<a href="http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.492.608">http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.492.608</a>	SEC-Ugaoni odvrtac Exact 14-420	Obrtni moment 2-14 Nm Brzina 420 min-1 Smerni rotacije: levodесno Prihvat alata: 1/4" spolni kvadrat, 1/4" unutrašnji šestougaonik, 3/8" spolni kvadrat 1/4" brzoostreza glava; sa baterijom 9.6V/1.8 Ah	3165140474337	162,700.00	195,240.00		
0602492605		0	x	5	<a href="http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.492.605">http://www.boschproductiontools.com/wfobotcs2-en/search.htm?searchterm=0.602.492.605</a>	SEC-Ugaoni odvrtac Exact 25-250	Obrtni moment 10-25 Nm Brzina 245 min-1 Smerni rotacije: levodесno Prihvat alata: 3/8" spolni kvadrat; bez baterije	3165140473545	228,100.00	273,720.00		

0602492606		0	x	4	<a href="http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.492.606">http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.492.606</a>	SEC-Ugaoni odvrtac Exact 25-250	Okretaj moment 10-25 Nm Brzina 245 min-1 Smjer rotacije: levo/desno Prihvat alata: 3/8" spoljni kvadrat; sa baterijom 9.6V / 1.8 Ah	3165140473552	239,500.00	287,400.00
0602492603		0	0	2	<a href="http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.492.603">http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.492.603</a>	SEC-Ugaoni odvrtac Exact 30-380	Okretaj moment 10-30 Nm Brzina 380 min-1 Smjer rotacije: levo/desno Prihvat alata: 3/8" spoljni kvadrat; bez baterije	3165140473521	251,100.00	301,320.00
0602492604		x	0	2	<a href="http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.492.604">http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.492.604</a>	SEC-Ugaoni odvrtac Exact 30-300	Okretaj moment 10-30 Nm Brzina 380 min-1 Smjer rotacije: levo/desno Prihvat alata: 3/8" spoljni kvadrat; sa baterijom 14.4 V / 2.4 A	3165140473538	264,400.00	317,280.00
0602492601		0	x	4	<a href="http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.492.601">http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.492.601</a>	SEC-Ugaoni odvrtac Exact 40-280	Okretaj moment 10-40 Nm Brzina 280 min-1 Smjer rotacije: levo/desno Prihvat alata: 3/8" spoljni kvadrat; bez baterije	3165140473507	251,100.00	301,320.00
0602492602		0	x	4	<a href="http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.492.602">http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.492.602</a>	SEC-Ugaoni odvrtac Exact 40-280	Okretaj moment 10-40 Nm Brzina 280 min-1 Smjer rotacije: levo/desno Prihvat alata: 3/8" spoljni kvadrat; sa baterijom 14.4 V / 2.4 Ah	3165140473514	264,400.00	317,280.00
0602492613		0	x	4	<a href="http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.492.613">http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.492.613</a>	SEC-Ugaoni odvrtac Exact 50-210	Okretaj moment 10-50 Nm Brzina 210 min-1 Smjer rotacije: levo/desno Prihvat alata: 3/8" spoljni kvadrat; bez baterije	3165140492072	251,100.00	301,320.00
0602492614		0	x	4	<a href="http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.492.614">http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.492.614</a>	SEC-Ugaoni odvrtac Exact 50-210	Okretaj moment 10-50 Nm Brzina 210 min-1 Smjer rotacije: levo/desno Prihvat alata: 3/8" spoljni kvadrat; sa baterijom 14.4V/2.4Ah	3165140492089	264,400.00	317,280.00
0602492617		0	0	2	<a href="http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.492.617">http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.492.617</a>	SEC-Ugaoni odvrtac Exact 50-170	Okretaj moment 10-60 Nm Brzina 170 min-1 Smjer rotacije: levo/desno Prihvat alata: 3/8" spoljni kvadrat; bez baterije	3165140582209	282,400.00	314,880.00
0602492615		0	0	2	<a href="http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.492.615">http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.492.615</a>	Ugaoni odvrtac Exact 25-200	Okretaj moment 10-25 Nm Brzina 200 min-1 Smjer rotacije: levo/desno Prihvat alata: 3/8" spoljni kvadrat; bez baterije	3165140567398	162,000.00	194,400.00
0602492616		0	0	2	<a href="http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.492.616">http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.492.616</a>	Ugaoni odvrtac Exact 25-200	Okretaj moment 10-25 Nm Brzina 200 min-1 Smjer rotacije: levo/desno Prihvat alata: 3/8" spoljni kvadrat; sa baterijom 9.6V/1.8Ah	3165140573504	173,600.00	208,320.00
0602492621		0	0	2	<a href="http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.492.621">http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.492.621</a>	Ugaoni odvrtac Exact 30-300	Okretaj moment 10-30 Nm Brzina 300 min-1 Smjer rotacije: levo/desno Prihvat alata: 3/8" spoljni kvadrat; bez baterije	3165140651165	173,600.00	208,320.00

Industrijski akumulatorski odvrtaci SEC - ugaoni odvrtaci EXACT		#N/A	#N/A	#N/A				EAN kod	VP cena (RSD)	MP cena (RSD)
0602494601					<a href="http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.494.601">http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.494.601</a>	Li-Ion Ugaoni odvrtac Exact ION 16-500	Okretaj moment 2-15 Nm Brzina 250-500 min-1 bez baterije (18V)	3165140668457	161,200.00	193,440.00
0602494603					<a href="http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.494.603">http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.494.603</a>	Li-Ion Ugaoni odvrtac Exact ION 30-300	Okretaj moment 10-30 Nm Brzina 150-300 min-1 bez baterije (18V)	3165140668471	184,900.00	221,880.00
0602494605					<a href="http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.494.605">http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.494.605</a>	Li-Ion Ugaoni odvrtac Exact ION 50-200	Okretaj moment 15-50 Nm Brzina 100-200 min-1 bez baterije (18V)	3165140668495	256,600.00	306,720.00
0602494600						Li-Ion ANGLE EXACT ION 8-1100	Okretaj moment 2-8 Nm Brzina 550-1100 min-1 bez baterije (18V)	3165140668495	161,500.00	193,800.00
0602494604						Li-Ion ANGLE EXACT ION 15-500	Okretaj moment 2-15 Nm Brzina 250-500 min-1 bez baterije (18V)	3165140668484	223,400.00	268,080.00
0602494602						Li-Ion ANGLE EXACT ION 23-380	Okretaj moment 8-23 Nm Brzina 190-380 min-1 bez baterije (18V)	3165140777803	193,100.00	231,720.00
0602494607						Li-Ion ANGLE EXACT ION 30-290	Okretaj moment 10-30 Nm Brzina 145-290 min-1 bez baterije (18V)	3165140781275	193,100.00	231,720.00
0602494604						Li-Ion ANGLE EXACT ION 40-220	Okretaj moment 10-40 Nm Brzina 110-220 min-1 bez baterije (18V)	3165140777885	255,900.00	307,080.00
0602494606						Li-Ion ANGLE EXACT ION 60-120	Okretaj moment 20-40 Nm Brzina 60-120 min-1 bez baterije (18V)	3165140778497	255,900.00	307,080.00

Ugaona glava (AH)		#N/A	#N/A	#N/A				EAN kod	VP cena (RSD)	MP cena (RSD)
0607451618		x	0	2	<a href="http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.607.451.618">http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.607.451.618</a>	Ugaona glava	3/8" osovina (Kataloški broj rezervnog dela 3.607.020.041)	3165140333283	69,600.00	83,520.00
0607453617		x	0	2	<a href="http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.607.453.617">http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.607.453.617</a>	Ugaona glava	1/4" osovina (Kataloški broj rezervnog dela 3.607.020.161)	3165140122139	54,300.00	65,160.00
0607453618		x	0	2	<a href="http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.607.453.618">http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.607.453.618</a>	Ugaona glava	1/4" šestougona osovina (Kataloški broj rezervnog dela3.607.020.163)	3165140122146	54,300.00	65,160.00
0607453620		x	0	2	<a href="http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.607.453.620">http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.607.453.620</a>	Ugaona glava	3/8" osovinom (Kataloški broj rezervnog dela 3.607.020.165)	3165140122160	54,300.00	65,160.00
0607453630		x	0	2	<a href="http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.607.453.630">http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.607.453.630</a>	Ugaona glava	sa brzoesteznom glavom 1/4"	3165140334174	54,300.00	65,160.00
0607453631		0	x	7	<a href="http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.607.453.631">http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.607.453.631</a>	Adapter	Brzoestezna glava 1/4"	3165140350396	45,400.00	54,800.00




Pripor (baterija, punjači, štetići)		#N/A	#N/A	#N/A				EAN kod	VP cena (RSD)	MP cena (RSD)
0602490001		x	0	2	<a href="http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.490.001">http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.490.001</a>	Držac	Držac za Exact odvrtace - 10 Pack	3165140327169	45,400.00	54,800.00
0602490022		x	0	2	<a href="http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.490.022">http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.490.022</a>	Baterija	Baterija , 9.6 V, 1.8 Ah, - 10 pack 2.607.335.877	3165140327176	101,000.00	121,200.00
0602490009		x	0	2	<a href="http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.490.009">http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.490.009</a>	Baterija	Baterija , 9.6 V, 2.4 Ah, - 10 pack 2.607.335.659	3165140334181	114,800.00	137,760.00
0602490023		x	0	2	<a href="http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.490.023">http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.490.023</a>	Baterija	Baterija , 12 V, 1.8 Ah, - 10 pack 2.607.335.879	3165140327091	114,800.00	137,760.00
0602490004		x	0	2	<a href="http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.490.004">http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.490.004</a>	Baterija	Baterija , 12 V, 2.4 Ah, - 10 pack 2.607.335.375	3165140327084	131,300.00	157,560.00
0602490007		x	0	2	<a href="http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.490.007">http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.490.007</a>	Baterija	Baterija , 14.4 V, 2.4 Ah, - 10 pack 2.607.335.655	3165140333290	145,100.00	174,120.00
0602490024		x	0	2	<a href="http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.490.024">http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.490.024</a>	Baterija	Baterija , 14.4 V, 1.8 Ah, - 10 pack 2.607.335.881	3165140333306	131,300.00	157,560.00
0602490011		x	0	2	<a href="http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.490.011">http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.490.011</a>	Štetić	Štetić za sve Exact akumulatorske odvrtace (10 Pack) - beli providni	3165140419130	41,700.00	50,040.00
0602490012		x	0	2	<a href="http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.490.012">http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.490.012</a>	Štetić	Štetić za sve Exact akumulatorske odvrtace (10 Pack) - crveni providni	3165140411226	41,700.00	50,040.00
0602490013		x	0	2	<a href="http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.490.013">http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.490.013</a>	Štetić	Štetić za sve Exact akumulatorske odvrtace (10 Pack) - plavi providni	3165140411233	41,700.00	50,040.00
0602490014		x	0	2	<a href="http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.490.014">http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.490.014</a>	Štetić	Štetić za sve Exact akumulatorske odvrtace (10 Pack) - zeleni providni	3165140411240	41,700.00	50,040.00
0602490015		x	0	2	<a href="http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.490.015">http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.490.015</a>	Štetić	Štetić (10 Pack) beli providni - za sve akumulatorske ugaone Exact (2 kom, ne za Classic AE 17, 23, 30)	3165140488167	41,700.00	50,040.00
0602490016		x	0	2	<a href="http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.490.016">http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.490.016</a>	Štetić	Štetić (10 Pack) crveni providni - za sve akumulatorske ugaone Exact (2 kom, ne za Classic AE 17, 23, 30)	3165140488174	41,700.00	50,040.00
0602490017		x	0	2	<a href="http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.490.017">http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.490.017</a>	Štetić	Štetić (10 Pack) plavi providni - za sve akumulatorske ugaone Exact (2 kom, ne za Classic AE 17, 23, 30)	3165140488181	41,700.00	50,040.00
0602490018		x	0	2	<a href="http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.490.018">http://www.boschproductiontools.com/wfobotcs2-envsearch.htm?searchterm=0.602.490.018</a>	Štetić	Štetić (10 Pack) zeleni providni - za sve akumulatorske ugaone Exact (2 kom, ne za Classic AE 17, 23, 30)	3165140488198	41,700.00	50,040.00
3605500171		#N/A	#N/A	#N/A		Zaštitna kapa	Zaštitna kapa za ugaonu glavu za 180 W serije			
3605500172		#N/A	#N/A	#N/A		Zaštitna kapa	Zaštitna kapa za brzoesteznu glavu (5-Pack)			
3605500175		#N/A	#N/A	#N/A		Zaštitna kapa	Zaštitna kapa za 3/8" ugaonu glavu za 370 W serije			
3609202A20		#N/A	#N/A	#N/A		Zaštitna kapa	Zaštitna kapa za SEC-Ugaoni odvrtac Exact 25-250, 30-380, 40-280 i 50-210			
0602494010		x	0	2		Zaštitna kapa	Li-Ion - zaštitna kapa AngleEXACT-ION - bela cirovidna (10-Pack)	3165140709261	49,500.00	48,600.00
0602494011		x	0	2		Zaštitna kapa	Li-Ion - zaštitna kapa AngleEXACT-ION - zelena cirovidna (10-Pack)	3165140709248	49,500.00	48,600.00
0602494012		x	0	2		Zaštitna kapa	Li-Ion - zaštitna kapa AngleEXACT-ION - crvena cirovidna (10-Pack)	3165140709255	49,500.00	48,600.00
0602494013		x	0	2		Zaštitna kapa	Li-Ion - zaštitna kapa AngleEXACT-ION - zelena cirovidna (10-Pack)	3165140709262	49,500.00	48,600.00
0602494014		x	0	2		Zaštitna kapa	Li-Ion - zaštitna kapa za akumulator L-Pack - bela cirovidna (10-Pack)	3165140709279	49,500.00	48,600.00
0602494015		x	0	2		Zaštitna kapa	Li-Ion - zaštitna kapa za akumulator XL-Pack - bela cirovidna (10-Pack)	3165140709286	49,500.00	48,600.00
0602494016		x	0	2		Zaštitna kapa	Li-Ion - zaštitna kapa EXACT-ION - bela cirovidna (10-Pack)	3165140709293	49,500.00	48,600.00
0602494017		x	0	2		Zaštitna kapa	Li-Ion - zaštitna kapa EXACT-ION - zelena cirovidna (10-Pack)	3165140709299	49,500.00	48,600.00
0602494018		x	0	2		Zaštitna kapa	Li-Ion - zaštitna kapa EXACT-ION - crvena cirovidna (10-Pack)	3165140709316	49,500.00	48,600.00
0602494019		x	0	2		Zaštitna kapa	Li-Ion - zaštitna kapa EXACT-ION - zelena cirovidna (10-Pack)	3165140709283	49,500.00	48,600.00





0602490507		x	0	2	<a href="http://www.boschproductiontools.com/wfbopbcs2-en/search.htm?searchterm=0.602.490.507">http://www.boschproductiontools.com/wfbopbcs2-en/search.htm?searchterm=0.602.490.507</a>	Konektor	4 Exact - Power line connection (230 V) za Bosch Exact- i ugaone Exact odvrtake	3165140372695	102,200.00	122,640.00
0602490503		x	0	2	<a href="http://www.boschproductiontools.com/wfbopbcs2-en/search.htm?searchterm=0.602.490.503">http://www.boschproductiontools.com/wfbopbcs2-en/search.htm?searchterm=0.602.490.503</a>	Kabl	Kabl 9.6 V za 4 Exact	3165140372701	12,000.00	14,400.00
0602490504		x	0	2	<a href="http://www.boschproductiontools.com/wfbopbcs2-en/search.htm?searchterm=0.602.490.504">http://www.boschproductiontools.com/wfbopbcs2-en/search.htm?searchterm=0.602.490.504</a>	Kabl	Kabl 12 V za 4 Exact	3165140372718	12,000.00	14,400.00
0602490505		x	0	2	<a href="http://www.boschproductiontools.com/wfbopbcs2-en/search.htm?searchterm=0.602.490.505">http://www.boschproductiontools.com/wfbopbcs2-en/search.htm?searchterm=0.602.490.505</a>	Kabl	Kabl 14.4 V za 4 Exact	3165140372725	12,000.00	14,400.00
2607335877		#N/A	#N/A	#N/A	<a href="http://www.boschproductiontools.com/wfbopbcs2-en/search.htm?searchterm=2.607.335.877">http://www.boschproductiontools.com/wfbopbcs2-en/search.htm?searchterm=2.607.335.877</a>	Baterija	Baterija , 9.6 V, 1.8 Ah, (zamena za 2.607.335.373, 1.7 Ah)			
2607335659		#N/A	#N/A	#N/A		Baterija	Baterija , 9.6 V, 2.4 Ah,			
2607335879		#N/A	#N/A	#N/A	<a href="http://www.boschproductiontools.com/wfbopbcs2-en/search.htm?searchterm=2.607.335.879">http://www.boschproductiontools.com/wfbopbcs2-en/search.htm?searchterm=2.607.335.879</a>	Baterija	Baterija , 12 V, 1.8 Ah, (zamena za 2.607.335.657, 1.7 Ah)			
2607335376		#N/A	#N/A	#N/A		Baterija	Baterija , 12 V, 2.4 Ah, (center-grip)			
2607335656		#N/A	#N/A	#N/A		Baterija	Baterija , 14.4 V, 2.4 Ah,			
2607335881		#N/A	#N/A	#N/A	<a href="http://www.boschproductiontools.com/wfbopbcs2-en/search.htm?searchterm=2.607.335.881">http://www.boschproductiontools.com/wfbopbcs2-en/search.htm?searchterm=2.607.335.881</a>	Baterija	Baterija , 14.4 V, 1.8 Ah, (zamena za 2.607.335.657, 1.7 Ah)			
2607225027		#N/A	#N/A	#N/A		Punjač	AL 2450 DV, 230V, 30-min punjač (zamena 1.2.607.224.483, AL15FC I 2.607.224.425, AL60DV)		8,600.00	10,320.00
2607335659		#N/A	#N/A	#N/A		Baterija	Li-Ion - Baterija : 18V/1.5Ah (= L-Pack)		18,900.00	22,680.00
0602494002		#N/A	#N/A	#N/A	<a href="http://www.boschproductiontools.com/wfbopbcs2-en/search.htm?searchterm=0.602.494.002">http://www.boschproductiontools.com/wfbopbcs2-en/search.htm?searchterm=0.602.494.002</a>	Baterija	Li-Ion - Baterija : 18V/1.5Ah (= L-Pack); (12-Pack: 2.607.336.559)	3165140695213	118,700.00	142,440.00
2607336236		#N/A	#N/A	#N/A		Baterija	Li-Ion - Baterija : 18V/4.0Ah (= XL-Pack)		20,800.00	24,960.00
0602494004		0	0	0	<a href="http://www.boschproductiontools.com/wfbopbcs2-en/search.htm?searchterm=0.602.494.004">http://www.boschproductiontools.com/wfbopbcs2-en/search.htm?searchterm=0.602.494.004</a>	Baterija	Li-Ion - Baterija : 18V/4.0Ah (= XL-Pack); (12-Pack: 2.607.336.236)	3165140695220	187,100.00	224,520.00
2607225321		#N/A	#N/A	#N/A		Punjač	Li-Ion - AL 1860 CV, 230V, 30-min punjač		11,300.00	13,560.00
0602494005		#N/A	#N/A	#N/A	<a href="http://www.boschproductiontools.com/wfbopbcs2-en/search.htm?searchterm=0.602.494.005">http://www.boschproductiontools.com/wfbopbcs2-en/search.htm?searchterm=0.602.494.005</a>	Punjač	Li-Ion - AL 1860 CV, 230V, 30-min punjač ; (B-Pack);	3165140695237	84,400.00	101,280.00
3600106027					<a href="http://www.boschproductiontools.com/en/wocs/markring-black-8064-ocs-p/">http://www.boschproductiontools.com/en/wocs/markring-black-8064-ocs-p/</a>	Prstenovi u boji za označavanje	Crni prsten za označavanje za ugaoni odvrtak EXACT			Cena na upit!
3600106028					<a href="http://www.boschproductiontools.com/en/wocs/markring-red-8066-ocs-p/">http://www.boschproductiontools.com/en/wocs/markring-red-8066-ocs-p/</a>	Prstenovi u boji za označavanje	Crveni prsten za označavanje za ugaoni odvrtak EXACT			Cena na upit!
3600106029					<a href="http://www.boschproductiontools.com/en/wocs/markring-blue-9576-ocs-p/">http://www.boschproductiontools.com/en/wocs/markring-blue-9576-ocs-p/</a>	Prstenovi u boji za označavanje	Plavi prsten za označavanje za ugaoni odvrtak EXACT			Cena na upit!
3600106030					<a href="http://www.boschproductiontools.com/en/wocs/markring-green-8067-ocs-p/">http://www.boschproductiontools.com/en/wocs/markring-green-8067-ocs-p/</a>	Prstenovi u boji za označavanje	Zeleni prsten za označavanje za ugaoni odvrtak EXACT			Cena na upit!
3600106031					<a href="http://www.boschproductiontools.com/en/wocs/markring-orange-8065-ocs-p/">http://www.boschproductiontools.com/en/wocs/markring-orange-8065-ocs-p/</a>	Prstenovi u boji za označavanje	Narandžasti prsten za označavanje za ugaoni odvrtak EXACT			Cena na upit!
3600106032					<a href="http://www.boschproductiontools.com/en/wocs/markring-grey-9574-ocs-p/">http://www.boschproductiontools.com/en/wocs/markring-grey-9574-ocs-p/</a>	Prstenovi u boji za označavanje	Sivi prsten za označavanje za ugaoni odvrtak EXACT			Cena na upit!
3600106033					<a href="http://www.boschproductiontools.com/en/wocs/markring-white-9575-ocs-p/">http://www.boschproductiontools.com/en/wocs/markring-white-9575-ocs-p/</a>	Prstenovi u boji za označavanje	Bel prsten za označavanje za ugaoni odvrtak EXACT			Cena na upit!
3600106010					<a href="http://www.boschproductiontools.com/en/wocs/markring-black-6195-ocs-p/">http://www.boschproductiontools.com/en/wocs/markring-black-6195-ocs-p/</a>	Prstenovi u boji za označavanje	Crni prsten za označavanje za odvrtak EXACT			Cena na upit!
3600106011					<a href="http://www.boschproductiontools.com/en/wocs/markring-red-6194-ocs-p/">http://www.boschproductiontools.com/en/wocs/markring-red-6194-ocs-p/</a>	Prstenovi u boji za označavanje	Crveni prsten za označavanje za odvrtak EXACT			Cena na upit!
3600106012					<a href="http://www.boschproductiontools.com/en/wocs/markring-blue-6193-ocs-p/">http://www.boschproductiontools.com/en/wocs/markring-blue-6193-ocs-p/</a>	Prstenovi u boji za označavanje	Plavi prsten za označavanje za odvrtak EXACT			Cena na upit!
3600106013					<a href="http://www.boschproductiontools.com/en/wocs/markring-green-6196-ocs-p/">http://www.boschproductiontools.com/en/wocs/markring-green-6196-ocs-p/</a>	Prstenovi u boji za označavanje	Zeleni prsten za označavanje za odvrtak EXACT			Cena na upit!
3600106014					<a href="http://www.boschproductiontools.com/en/wocs/markring-yellow-6191-ocs-p/">http://www.boschproductiontools.com/en/wocs/markring-yellow-6191-ocs-p/</a>	Prstenovi u boji za označavanje	Žuti prsten za označavanje za odvrtak EXACT			Cena na upit!
3600106017					<a href="http://www.boschproductiontools.com/en/wocs/markring-grey-7439-ocs-p/">http://www.boschproductiontools.com/en/wocs/markring-grey-7439-ocs-p/</a>	Prstenovi u boji za označavanje	Sivi prsten za označavanje za odvrtak EXACT			Cena na upit!
3600106019					<a href="http://www.boschproductiontools.com/en/wocs/markring-white-7440-ocs-p/">http://www.boschproductiontools.com/en/wocs/markring-white-7440-ocs-p/</a>	Prstenovi u boji za označavanje	Bel prsten za označavanje za odvrtak EXACT			Cena na upit!




Net-stanica zaravni odvrtak C-EXACT 4								EAN kod	VP cena (RSD)	MP cena (RSD)
0602495003		#N/A	#N/A	#N/A	<a href="http://www.boschproductiontools.com/wfbopbcs2-en/search.htm?searchterm=0.602.495.003">http://www.boschproductiontools.com/wfbopbcs2-en/search.htm?searchterm=0.602.495.003</a>	PUC EXACT 3	PUC-Exact 3' Input Voltage 100-240 V AC/ 50-60 Hz/ 400 W/ Output Voltage 36 V DC	3165140478748	77,300.00	92,760.00




Ravni odvrtak C-EXACT 4 - 36 V kabl								EAN kod	VP cena (RSD)	MP cena (RSD)
0602495200		0	x	4	<a href="http://www.boschproductiontools.com/wfbopbcs2-en/search.htm?searchterm=0.602.495.200">http://www.boschproductiontools.com/wfbopbcs2-en/search.htm?searchterm=0.602.495.200</a>	C-Exact 4	Obrtni moment 0,5-3,5 Nm Brzina 1000 min-1 Smerni rotacije: levo/desno Prihvrat alata: 1/4" spoljni kvadrat	3165140411233	115,600.00	138,720.00
0602495202		0	x	5	<a href="http://www.boschproductiontools.com/wfbopbcs2-en/search.htm?searchterm=0.602.495.202">http://www.boschproductiontools.com/wfbopbcs2-en/search.htm?searchterm=0.602.495.202</a>	C-Exact 1	Obrtni moment 0,2-0,8 Nm Brzina 1000 min-1 Smerni rotacije: levo/desno Prihvrat alata: 1/4" spoljni kvadrat	3165140474283	115,600.00	138,720.00
0602495203		0	x	5	<a href="http://www.boschproductiontools.com/wfbopbcs2-en/search.htm?searchterm=0.602.495.203">http://www.boschproductiontools.com/wfbopbcs2-en/search.htm?searchterm=0.602.495.203</a>	C-Exact 2	Obrtni moment 0,5-2,0 Nm Brzina 500 min-1 Smerni rotacije: levo/desno Prihvrat alata: 1/4" spoljni kvadrat	3165140474290	115,600.00	138,720.00
0602495205		0	x	4	<a href="http://www.boschproductiontools.com/wfbopbcs2-en/search.htm?searchterm=0.602.495.205">http://www.boschproductiontools.com/wfbopbcs2-en/search.htm?searchterm=0.602.495.205</a>	C-Exact 4	Obrtni moment 0,5-3,5 Nm Brzina 1000 min-1 Smerni rotacije: levo/desno Prihvrat alata: 1/4" spoljni kvadrat. Push start	3165140457521	115,600.00	138,720.00
0602495207		0	x	5	<a href="http://www.boschproductiontools.com/wfbopbcs2-en/search.htm?searchterm=0.602.495.207">http://www.boschproductiontools.com/wfbopbcs2-en/search.htm?searchterm=0.602.495.207</a>	C-Exact 1	Obrtni moment 0,2-0,8 Nm Brzina 1000 min-1 Smerni rotacije: levo/desno Prihvrat alata: 1/4" spoljni kvadrat. Push start	3165140474306	115,600.00	138,720.00
0602495208		0	x	5	<a href="http://www.boschproductiontools.com/wfbopbcs2-en/search.htm?searchterm=0.602.495.208">http://www.boschproductiontools.com/wfbopbcs2-en/search.htm?searchterm=0.602.495.208</a>	C-Exact 2	Obrtni moment 0,5-2,0 Nm Brzina 500 min-1 Smerni rotacije: levo/desno Prihvrat alata: 1/4" spoljni kvadrat. Push start	3165140474313	115,600.00	138,720.00
3604462078		x	0	2	<a href="http://www.boschproductiontools.com/wfbopbcs2-en/search.htm?searchterm=3.604.462.078">http://www.boschproductiontools.com/wfbopbcs2-en/search.htm?searchterm=3.604.462.078</a>	Kabl	konektor (5 m) za C-EXACT		13,100.00	15,720.00


## SERVISNI PNEUMATSKI ALATI



Kataloški broj		Proizvod na evropskom logotipu	Proizvod po porudžbini	Isporuka u sedmicama	Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)	
Bušilice 120 W i 180 W					Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)	
0607160501		x	0	2	Bušilica	Snaga: 320 W Brzina pri praznom hodu: 2800 min-1 maks.prečnik bušenja u čeliku: 6 mm Navoj burgije: 3/8" 24 UNF 2A Priključni navoj: 1/4" NPT Preporučeni prečnik creva: 10 mm Klasična stezna glava, R Težina: 0.8 kg	3165140111133	25,300.00	30,360.00	
0607160502		x	0	2	Bušilica	Snaga: 320 W Brzina pri praznom hodu: 2800 min-1 maks.prečnik bušenja u čeliku: 6 mm Navoj burgije: 3/8" 24 UNF 2A Priključni navoj: 1/4" NPT Preporučeni prečnik creva: 10 mm Brzostezna glava, R Težina: 0.8 kg	3165140111140	27,200.00	32,640.00	
0607160504		x	0	2	Bušilica	Snaga: 320 W Brzina pri praznom hodu: 850 min-1 maks.prečnik bušenja u čeliku: 10 mm Navoj burgije: 3/8" 24 UNF 2A Priključni navoj: 1/4" NPT Preporučeni prečnik creva: 10 mm Klasična stezna glava, R Težina: 0.9 kg	3165140111164	32,100.00	38,520.00	
0607160505		0	x	6	Bušilica	Snaga: 320 W Brzina pri praznom hodu: 850 min-1 maks.prečnik bušenja u čeliku: 10 mm Navoj burgije: 3/8" 24 UNF 2A Priključni navoj: 1/4" NPT Preporučeni prečnik creva: 10 mm Brzostezna glava, R Težina: 0.9 kg	3165140111171	36,200.00	43,440.00	
0607160509			0	x	6	Bušilica	Snaga: 320 W Brzina pri praznom hodu: 750 min-1 maks.prečnik bušenja u čeliku: 10 mm Navoj burgije: 3/8" 24 UNF 2A Priključni navoj: 1/4" NPT Preporučeni prečnik creva: 10 mm Klasična stezna glava, R/L Težina: 0.9 kg	3165140111188	35,700.00	42,840.00
0607160511			x	0	2	Bušilica	Snaga: 320 W Brzina pri praznom hodu: 2.200 min-1 maks.prečnik bušenja u čeliku: 6 mm Navoj burgije: 3/8" 24 UNF 2A Priključni navoj: 1/4" NPT Klasična stezna glava Preporučeni prečnik creva 10 mm, R/L Težina: 0.9 kg	3165140111157	27,200.00	32,640.00
0607557501		x	0	2	Hamer bušilica	Snaga: 740 W Udarna snaga: 3.900 min-1 maks.prečnik bušenja u čeliku: 13 mm maks.prečnik bušenja u betonu: 20 mm maks.prečnik bušenja u čeliku: 30 mm Priključni navoj: 1/4" G Preporučeni prečnik creva 13 mm, SDS-plus glava Težina: 3 kg	3165140111195	138,500.00	166,200.00	

Brusilice					Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)
0607252103		x	0	2	Čeona brusilica	Snaga: 550 W Brzina pri praznom hodu: 21.000 min-1 Čaura: 6 mm Preporučeni prečnik creva: 10 mm Priključak: 1/4" Težina: 1.1 kg	3165140111225	45,300.00	54,360.00
0607260100		x	0	2	Čeona brusilica	Snaga: 290 W Brzina pri praznom hodu: 22.000 min-1 Čaura: 6 mm Preporučeni prečnik creva: 10 mm Priključak: 1/4" Težina: 0.5 kg	3165140111201	25,300.00	30,360.00
0607260101		0	x	6	Čeona brusilica	Snaga: 290 W Brzina pri praznom hodu: 22.000 min-1 Čaura: 3 i 6-mm Preporučeni prečnik creva: 10 mm Priključak: 1/4" Težina: 0.5 kg	3165140111218	25,300.00	30,360.00
0607260110		0	x	6	Set sa čeonom brusilicom	Snaga: 290 W Brzina pri praznom hodu: 22.000 min-1 Čaura: 3 i 6-mm Preporučeni prečnik creva: 10 mm Priključak: 1/4" Težina: 0.5 kg	3165140252416	28,400.00	34,080.00
0607350198		0	0	2	Excentar brusilica	Snaga: 170 W Brzina pri praznom hodu: 12.000 min-1 Dozvoljeni prečnik brusnog diska: 80 mm Preporučeni prečnik creva: 10 mm Navoj: 5/16" 24 UNF Priključak: 1/4" Težina: 0.6 kg	3165140621342	27,200.00	32,640.00

0607350199		0	0	2	Excentar brusilica	Snaga: 170 W Brzina pri praznom hodu: 12.000 min-1 Dozvoljeni prečnik brusnog diska: 150 mm Preporučeni prečnik creva: 10 mm Navoj: 5/16" 24 UNF Priključak: 1/4" Težina: 0,7 kg	3165140621359	27,200.00	32,640.00
0607350200		#N/A	#N/A	#N/A	Excentar brusilica	Snaga: 170 W Brzina pri praznom hodu: 12.000 min-1 Dozvoljeni prečnik brusnog diska: 150 mm Preporučeni prečnik creva: 10 mm Navoj: 5/16" 24 UNF Priključak: 1/4"; čičak podloška sa 15 rupa Težina: 0,7 kg	3165140621359	27,200.00	32,640.00
0607352113		0	x	6	Ugaona brusilica	Snaga: 550 W Brzina pri praznom hodu: 12.000 min-1 Dozvoljeni prečnik brusnog diska: 125 mm Preporučeni prečnik creva: 10 mm Vreteno: M14; Deadman prekidač Težina: 1,4 kg	3165140111256	46,600.00	55,920.00
0607352114		0	x	6	Ugaona brusilica	Snaga: 550 W Brzina pri praznom hodu: 7.000 min-1 Dozvoljeni prečnik brusnog diska: 125 mm Preporučeni prečnik creva: 10 mm Vreteno: M14; Deadman prekidač Težina: 1,4 kg	3165140111270	38,100.00	45,720.00

Odvijači S-Line					Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)
0607450593		x	0	2	Udarni odvrtac	Max.moment: 1.300 Nm Brzina pri praznom hodu: 3.100 min-1 Priključak: G 1/2" Preporučeni prečnik creva: 13 mm; R/L smer; za stezanje vijaka do M 33 Težina: 9,6 kg	3165140111362	160,300.00	192,360.00
0607450622		x	0	2	Udarni odvrtac	Max.moment: 900 Nm Brzina pri praznom hodu: 4.500 min-1 Priključak: 3/8"; prihvat alata: 3/4" spoljni kvadrat Preporučeni prečnik creva: 12 mm; R/L smer; za stezanje vijaka do M 27 Težina: 5,6 kg	3165140346160	56,700.00	68,040.00
0607450626		x	0	2	Udarni odvrtac	Max.moment: 120 Nm Brzina pri praznom hodu: 10.000 min-1 Priključak: 1/4"; prihvat alata: 3/8" spoljni kvadrat Preporučeni prečnik creva: 10 mm; R/L smer; za stezanje vijaka do M 14 Težina: 1,5 kg	3165140448680	14,400.00	17,280.00
0607450627		x	0	2	Udarni odvrtac	Max.moment: 120 Nm Brzina pri praznom hodu: 10.000 min-1 Priključak: 1/4"; prihvat alata: 1/2" spoljni kvadrat Preporučeni prečnik creva: 10 mm; R/L smer; za stezanje vijaka do M 14 Težina: 1,5 kg	3165140448697	16,300.00	19,560.00
0607450628		x	0	2	Udarni odvrtac	Max.moment: 310 Nm Brzina pri praznom hodu: 7.000 min-1 Priključak: 1/4"; prihvat alata: 1/2" spoljni kvadrat Preporučeni prečnik creva: 10 mm; R/L smer; za stezanje vijaka do M 18 Težina: 2,3 kg	3165140448703	17,500.00	21,000.00
0607450629		x	0	2	Udarni odvrtac - set	Max.moment: 310 Nm Brzina pri praznom hodu: 7.000 min-1 Priključak: 1/4"; prihvat alata: 1/2" spoljni kvadrat Preporučeni prečnik creva: 10 mm; R/L smer Odvrtac 0607450628, sa nasadnim kovanim ključevima SW 14, 17, 19, 21, 22 i produzetkom Težina: 2,3 kg	3165140453028	21,200.00	25,440.00
0607450794		x	0	2	Pneumatska račna	Max.moment: 60 Nm Brzina pri praznom hodu: 160 min-1 Priključak: 1/4"; prihvat alata: 3/8" spoljni kvadrat Preporučeni prečnik creva: 10 mm; R/L smer; za stezanje vijaka do M 10 Težina: 1,3 kg	3165140364614	24,800.00	29,760.00
0607450795		x	0	2	Pneumatska račna	Max.moment: 60 Nm Brzina pri praznom hodu: 160 min-1 Priključak: 1/4"; prihvat alata: 1/2" spoljni kvadrat Preporučeni prečnik creva: 10 mm; R/L smer; za stezanje vijaka do M 10 Težina: 1,3 kg	3165140364621	24,800.00	29,760.00
0607460001		0	x	6	Lock-over odvrtac	Snaga: 380 W Brzina pri praznom hodu: 900 min-1 Stezni moment: 1,5 – 10 Nm Priključak: 1/4"; prihvat alata: 1/4" Preporučeni prečnik creva: 10 mm; R/L smer; za stezanje vijaka do M6 Težina: 1,0 kg	3165140111324	68,800.00	82,560.00
0607460400		0	x	6	Odvrtac sa kontrolom dubine	Snaga: 320 W Brzina pri praznom hodu: 750 min-1 Stezni moment: 1,5 – 8 Nm Priključak: 1/4"; prihvat alata: 1/4" Preporučeni prečnik creva: 10 mm; R/L smer; za stezanje vijaka do 6,3 mm Težina: 0,8 kg	3165140111300	44,200.00	53,040.00
0607460401		x	0	2	Lock-over odvrtac	Snaga: 320 W Brzina pri praznom hodu: 750 min-1 Stezni moment: 1,5 – 10 Nm Priključak: 1/4"; prihvat alata: 1/4" Preporučeni prečnik creva: 10 mm; R/L smer; za stezanje vijaka do M6 Težina: 1,0 kg	3165140111317	48,300.00	57,960.00



Udarni odvijači P-Line					Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)
0607450614		x	0	2	Udarni odvrtáč	Brzina pri praznom hodu: 10.000 min-1 Max. stezni moment: 150 Nm Priključak: 1/4" ; prihvat alata: 3/8" Preporučeni prečnik creva: 10 mm; R/L smer; za stezanje vijaka do M14 Težina: 1,3 kg	3165140346108	33,800.00	40,560.00
0607450615		x	0	2	Udarni odvrtáč	Brzina pri praznom hodu: 7.000 min-1 Max. stezni moment: 350 Nm Priključak: 1/4" ; prihvat alata: 1/2" Preporučeni prečnik creva: 10 mm; R/L smer; za stezanje vijaka do M18 Težina: 2,4 kg	3165140346115	45,400.00	54,480.00
0607450618		x	0	2	Udarni odvrtáč sa produženim vretenom	Brzina pri praznom hodu: 7.000 min-1 Max. stezni moment: 300 Nm Priključak: 1/4" ; prihvat alata: 1/2" Preporučeni prečnik creva: 10 mm; R/L smer; za stezanje vijaka do M18 Težina: 2,6 kg	3165140346139	53,100.00	63,720.00
0607450616		x	0	2	Udarni odvrtáč	Brzina pri praznom hodu: 4.500 min-1 Max. stezni moment: 900 Nm Priključak: 3/8" ; prihvat alata: 3/4" Preporučeni prečnik creva: 13 mm; R/L smer; za stezanje vijaka do M27 Težina: 4,1 kg	3165140346122	74,400.00	89,280.00
0607450619		x	0	2	Udarni odvrtáč sa produženim vretenom	Brzina pri praznom hodu: 4.500 min-1 Max. stezni moment: 900 Nm Priključak: 3/8" ; prihvat alata: 3/4" Preporučeni prečnik creva: 13 mm; R/L smer; za stezanje vijaka do M27 Težina: 5,9 kg	3165140346146	82,200.00	98,640.00

Ubodne testere, grickalice za lim i makaze					Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)
0607561116		x	0	2	Ubodna testera Deadman prekidač	Snaga: 400 W Max. dubina sečenja u aluminijumu i neobojenim metalima: 15 mm Max. dubina sečenja u mekanom čeliku: 10 mm Max. dubina sečenja u plastici: 30 mm Max. dubina sečenja u drvetu: 85 mm Priključak: 1/4" Težina: 1,9 kg	3165140111423	55,500.00	66,600.00
0607561118		x	0	2	Ubodna testera Lever prekidač	Snaga: 400 W Max. dubina sečenja u aluminijumu i neobojenim metalima: 15 mm Max. dubina sečenja u mekanom čeliku: 10 mm Max. dubina sečenja u plastici: 30 mm Max. dubina sečenja u drvetu: 85 mm Priključak: 1/4" Težina: 1,9 kg	3165140111430	55,500.00	66,600.00
0607595100		x	0	2	Testera za penaste materijale	Snaga: 120 W Dubina sečenja penastog materijala: 300 mm Priključak 1/4" Težina: 1,2 kg	3165140111515	111,900.00	134,280.00










Obijači					Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)
0607560500		x	0	2	Udarni sekač	Energija udarca: 2 J ; 3600 min-1 Prihvat alata KW10 i kružni Ø 10.2mm Priključak 1/4" Težina: 1 kg	3165140111386	16,300.00	19,560.00
0607560501		x	0	2	Udarni sekač - set, kofer, set dleta	Energija udarca: 2 J ; 3600 min-1 Prihvat alata KW10 i kružni Ø 10.2mm Priključak 1/4" Težina: 1 kg	3165140111379	21,200.00	25,440.00
0607560502		x	0	2	Igličasti obijač	Energija udarca: 0,0014 KJ ; 3600 min-1 Prihvat alata KW10 i kružni Ø 10.2mm Priključak 1/4" Težina: 2 kg	3165140111393	28,400.00	34,080.00

## PNEUMATSKI ALATI ZA INDUSTRIJU



Kataloški broj	Proizvod na evropskom licu Preizvod po porudbini	Reperika u serifikama	Direktan link do proizvoda		Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)	
			Direktan link do proizvoda	Naziv						
<b>Bušilice 120 W / 180 W</b>										
0607154101		0	x	7	<a href="http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.154.101">http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.154.101</a>	Bušilica 120 W	Snaga: 120 W Broj obrtaja pri praznom hodu: 3200 min-1 Max. prečnik bušenja u čeliku 4 mm	3165140120890	88,300.00	105,960.00
0607153520		0	x	7	<a href="http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.153.520">http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.153.520</a>	Bušilica 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 3700 min-1 Max. prečnik bušenja u čeliku 4 mm Klasična slezna glava	3165140120876	69,300.00	83,160.00
0607153523		0	x	7	<a href="http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.153.523">http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.153.523</a>	Bušilica 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 3700 min-1 Max. prečnik bušenja u čeliku 4 mm Brzostezna glava	3165140147354	72,800.00	87,360.00




<b>Bušilice 400 W</b>										
					Direktan link do proizvoda	Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)
0607161100		x	0	2	<a href="http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.161.100">http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.161.100</a>	Bušilica 400 W	Snaga: 400 W Broj obrtaja pri praznom hodu: 2560 min-1 Max. prečnik bušenja u čeliku 8 mm	3165140120999	80,900.00	97,080.00
0607161101		0	x	7	<a href="http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.161.101">http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.161.101</a>	Bušilica 400 W	Snaga: 400 W Broj obrtaja pri praznom hodu: 1200 min-1 Max. prečnik bušenja u čeliku 10 mm	3165140121002	80,900.00	97,080.00
0607161102						Bušilica 400 W	Snaga: 400 W Broj obrtaja pri praznom hodu: 2560 min-1 Brzostezna glava 3/8"	3165140121019	84,100.00	100,920.00
0607161103						Bušilica 400 W	Snaga: 400 W Broj obrtaja pri praznom hodu: 1200 min-1 Brzostezna glava 3/8"	3165140121026	84,100.00	100,920.00
0607161500		0	x	7	<a href="http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.161.500">http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.161.500</a>	Bušilica 400 W	Snaga: 400 W Broj obrtaja pri praznom hodu: 2560 min-1 Max. prečnik bušenja u čeliku 8 mm	3165140121064	84,100.00	100,920.00
0607161501		0	x	7	<a href="http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.161.501">http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.161.501</a>	Bušilica 400 W	Snaga: 400 W Broj obrtaja pri praznom hodu: 1200 min-1 Max. prečnik bušenja u čeliku 10 mm	3165140121071	84,100.00	100,920.00
0607161502		0	x	7	<a href="http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.161.502">http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.161.502</a>	Bušilica 400 W	Snaga: 400 W Broj obrtaja pri praznom hodu: 800 min-1 Max. prečnik bušenja u čeliku 13 mm	3165140121088	84,100.00	100,920.00
0607161503		0	x	7	<a href="http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.161.503">http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.161.503</a>	Bušilica 400 W	Snaga: 400 W Broj obrtaja pri praznom hodu: 640 min-1 Max. prečnik bušenja u čeliku 13 mm	3165140121095	84,100.00	100,920.00
0607161504		0	x	7	<a href="http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.161.504">http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.161.504</a>	Bušilica 400 W	Snaga: 400 W Broj obrtaja pri praznom hodu: 2560 min-1 Max. prečnik bušenja u čeliku 8 mm	3165140121101	84,100.00	100,920.00
0607161505		0	x	7	<a href="http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.161.505">http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.161.505</a>	Bušilica 400 W	Snaga: 400 W Broj obrtaja pri praznom hodu: 1200 min-1 Max. prečnik bušenja u čeliku 10 mm	3165140121118	84,100.00	100,920.00
0607161506		0	x	7	<a href="http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.161.506">http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.161.506</a>	Bušilica 400 W	Snaga: 400 W Broj obrtaja pri praznom hodu: 800 min-1 Max. prečnik bušenja u čeliku 13 mm	3165140121125	84,100.00	100,920.00
0607161507		0	x	7	<a href="http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.161.507">http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.161.507</a>	Bušilica 400 W	Snaga: 400 W Broj obrtaja pri praznom hodu: 640 min-1 Max. prečnik bušenja u čeliku 13 mm	3165140121132	84,100.00	100,920.00




<b>Ravne brusilice</b>										
					Direktan link do proizvoda	Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)
0607250201		x	0	2	<a href="http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.250.201">http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.250.201</a>	Ravna brusilica	Snaga: 50 W Broj obrtaja pri praznom hodu: 55.000 min-1 Max. prečnik bušenja u čeliku 10 mm	3165140121170	70,800.00	84,960.00
0607250202		x	0	2	<a href="http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.250.202">http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.250.202</a>	Ravna brusilica	Snaga: 50 W Broj obrtaja pri praznom hodu: 85.000 min-1 Max. prečnik bušenja u čeliku 6 mm	3165140121187	70,800.00	84,960.00
0607250203		x	0	2	<a href="http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.250.203">http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.250.203</a>	Ravna brusilica	Snaga: 50 W Broj obrtaja pri praznom hodu: 85.000 min-1 Max. prečnik bušenja u čeliku 6 mm	3165140121194	70,800.00	84,960.00
0607251102		x	0	2	<a href="http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.251.102">http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.251.102</a>	Ravna brusilica	Snaga: 450 W Broj obrtaja pri praznom hodu: 21.000 min-1 Dozvoljeni prečnik brusnog alata 40 mm	3165140121200	92,600.00	111,120.00
0607253100		0	x	7	<a href="http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.253.100">http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.253.100</a>	Ravna brusilica	Snaga: 240 W Broj obrtaja pri praznom hodu: 21.000 min-1 Dozvoljeni prečnik brusnog alata 40 mm	3165140121231	92,600.00	111,120.00
0607253101		0	x	7	<a href="http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.253.101">http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.253.101</a>	Ravna brusilica	Snaga: 220 W Broj obrtaja pri praznom hodu: 33.000 min-1 Dozvoljeni prečnik brusnog alata 20 mm	3165140121248	86,500.00	103,800.00
0607254100		0	x	7	<a href="http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.254.100">http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.254.100</a>	Ravna brusilica	Snaga: 100 W Broj obrtaja pri praznom hodu: 50.000 min-1 Dozvoljeni prečnik brusnog alata 13 mm	3165140121262	82,900.00	99,480.00
0607261101		x	0	2	<a href="http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.261.101">http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.261.101</a>	Ravna brusilica	Snaga: 400 W Broj obrtaja pri praznom hodu: 26.000 min-1 Dozvoljeni prečnik brusnog alata 30 mm	3165140121316	56,700.00	68,040.00
0607261102		0	x	7	<a href="http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.261.102">http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.261.102</a>	Ravna brusilica	Snaga: 400 W Broj obrtaja pri praznom hodu: 15.000 min-1 Dozvoljeni prečnik brusnog alata 50 mm	3165140121323	65,200.00	78,240.00



<b>Ravni odvrtčač 180 W</b>										
					Direktan link do proizvoda	Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)
0607453009		0	x	7	<a href="http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.453.009">http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.453.009</a>	Ravni odvrtčač 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 950 min-1 Stezi moment 1,2 – 5,5 Nm Navoji M 5	3165140169028	110,700.00	132,840.00
0607453010		0	x	7	<a href="http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.453.010">http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.453.010</a>	Ravni odvrtčač 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 600 min-1 Stezi moment 1,2 – 7 Nm Navoji M 6	3165140169035	110,700.00	132,840.00
0607453233		0	x	7	<a href="http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.453.233">http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.453.233</a>	Ravni odvrtčač 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 2200 min-1 Stezi moment: 1,2 – 3 Nm Navoji M 4	3165140169097	110,700.00	132,840.00
0607453234		0	x	7	<a href="http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.453.234">http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.453.234</a>	Ravni odvrtčač 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 1500 min-1 Stezi moment: 1,2 – 4,5 Nm Navoji M 5	3165140169103	110,700.00	132,840.00
0607453229		0	x	7	<a href="http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.453.229">http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.453.229</a>	Ravni odvrtčač 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 1500 min-1 Stezi moment: 1,2 – 4,5 Nm Navoji M 5	3165140169141	134,900.00	161,880.00
0607453230		0	x	7	<a href="http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.453.230">http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.453.230</a>	Ravni odvrtčač 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 950 min-1 Stezi moment: 1,2 – 5,5 Nm Navoji M 6	3165140169158	134,900.00	161,880.00
0607453231		0	x	7	<a href="http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.453.231">http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.453.231</a>	Ravni odvrtčač 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 600 min-1 Stezi moment: 1,2 – 7 Nm Navoji M 6	3165140169165	134,900.00	161,880.00
0607453232		x	0	2	<a href="http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.453.232">http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.453.232</a>	Ravni odvrtčač 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 380 min-1 Stezi moment: 1,2 – 10 Nm Navoji M 6	3165140169172	134,900.00	161,880.00
0607453235		0	x	7	<a href="http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.453.235">http://www.boschergroducts.com/uk/ebosch2-epsearch.htm?searchterm=0.607.453.235</a>	Ravni odvrtčač 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 2200 min-1 Stezi moment: 1,2 – 3 Nm Navoji M 4	3165140169042	134,900.00	161,880.00




0607453236		0	x	7	<a href="http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.453.236">http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.453.236</a>	Ravni odvrtlač 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 1500 min-1 Stezi moment: 1,2 – 4,5 Nm Navoji M 5	3165140169059	134,900.00	161,880.00
0607453237		x	0	2	<a href="http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.453.237">http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.453.237</a>	Ravni odvrtlač 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 950 min-1 Stezi moment: 1,2 – 5,5 Nm Navoji M 6	3165140169066	134,900.00	161,880.00
0607453238		x	0	2	<a href="http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.453.238">http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.453.238</a>	Ravni odvrtlač 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 600 min-1 Stezi moment: 1,2 – 7 Nm Navoji M 6	3165140169073	134,900.00	161,880.00
0607453239		x	0	2	<a href="http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.453.239">http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.453.239</a>	Ravni odvrtlač 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 380 min-1 Stezi moment: 1,2 – 10 Nm Navoji M 4	3165140169080	134,900.00	161,880.00
0607453240		0	x	7	<a href="http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.453.240">http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.453.240</a>	Ravni odvrtlač 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 950 min-1 Stezi moment: 1,2 – 5,5 Nm Navoji M 5	3165140169127	144,600.00	173,520.00
0607453241		0	x	7	<a href="http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.453.241">http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.453.241</a>	Ravni odvrtlač 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 600 min-1 Stezi moment: 1,2 – 7 Nm Navoji M 6	3165140169134	144,600.00	173,520.00
0607453242		0	x	7	<a href="http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.453.242">http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.453.242</a>	Ravni odvrtlač 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 380 min-1 Stezi moment: 1,2 – 10 Nm Navoji M 6	3165140169110	144,600.00	173,520.00


Odvrtlač 180 W		Naziv				Tehnički opis		EAN kod	VP cena (RSD)	MP cena (RSD)		
0607453429		0	x	7	<a href="http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.453.429">http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.453.429</a>	Ravni odvrtlač 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 380 min-1 Stezi moment: 1,2 – 10 Nm Navoji M6	3165140121989	132,500.00	159,000.00		
0607453430		0	x	7	<a href="http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.453.430">http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.453.430</a>	Ravni odvrtlač 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 950 min-1 Stezi moment: 1,2 – 5,5 Nm Navoji M5	3165140121996	132,500.00	159,000.00		
0607453431		0	x	7	<a href="http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.453.431">http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.453.431</a>	Ravni odvrtlač 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 1500 min-1 Stezi moment: 1,2 – 4,5 Nm Navoji M5	3165140122009	132,500.00	159,000.00		
0607453432		0	x	7	<a href="http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.453.432">http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.453.432</a>	Ravni odvrtlač 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 2200 min-1 Stezi moment: 1,2 – 3 Nm Navoji M4	3165140122016	132,500.00	159,000.00		
0607453433		0	x	7	<a href="http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.453.433">http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.453.433</a>	Ravni odvrtlač 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 600 min-1 Stezi moment: 1,2 – 7 Nm Navoji M6	3165140188487	132,500.00	159,000.00		
0607453434		0	x	7	<a href="http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.453.434">http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.453.434</a>	Ravni odvrtlač 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 380 min-1 Stezi moment: 1,2 – 10 Nm Navoji M6	3165140122023	98,600.00	118,320.00		
0607453435		0	x	7	<a href="http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.453.435">http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.453.435</a>	Ravni odvrtlač 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 950 min-1 Stezi moment: 1,2 – 5,5 Nm Navoji M5	3165140122030	98,600.00	118,320.00		
0607453436			0	x	7	<a href="http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.453.436">http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.453.436</a>	Ravni odvrtlač 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 1500 min-1 Stezi moment: 1,2 – 4,5 Nm Navoji M5	3165140122047	98,600.00	118,320.00	
0607453437			0	x	7	<a href="http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.453.437">http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.453.437</a>	Ravni odvrtlač 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 2200 min-1 Stezi moment: 1,2 – 3 Nm Navoji M4	3165140122054	98,600.00	118,320.00	
0607453438			0	x	7	<a href="http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.453.438">http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.453.438</a>	Ravni odvrtlač 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 600 min-1 Stezi moment: 1,2 – 7 Nm Navoji M6	3165140195690	98,600.00	118,320.00	
0607453439			x	0	2	<a href="http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.453.439">http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.453.439</a>	Ravni odvrtlač 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 380 min-1 Stezi moment: 1,2 – 10 Nm Navoji M6	3165140303651	131,800.00	158,160.00	
0607453440			0	x	7	<a href="http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.453.440">http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.453.440</a>	Ravni odvrtlač 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 950 min-1 Stezi moment: 1,2 – 5,5 Nm Navoji M5	3165140303668	131,800.00	158,160.00	
0607453441				0	x	7	<a href="http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.453.441">http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.453.441</a>	Ravni odvrtlač 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 600 min-1 Stezi moment: 1,2 – 7 Nm Navoji M6	3165140303675	131,800.00	158,160.00
0607453442				0	x	7	<a href="http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.453.442">http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.453.442</a>	Ravni odvrtlač 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 600 min-1 Stezi moment: 0,5 – 2 Nm Navoji M4	3165140303682	131,800.00	158,160.00
0607453443				0	x	7	<a href="http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.453.443">http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.453.443</a>	Ravni odvrtlač 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 1500 min-1 Stezi moment: 1,2 – 4,5 Nm Navoji M5	3165140303699	131,800.00	158,160.00



Ravni odvrtlač 120 W		Naziv				Tehnički opis		EAN kod	VP cena (RSD)	MP cena (RSD)
0607454006		0	x	7	<a href="http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.454.006">http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.454.006</a>	Ravni odvrtlač 120 W	Snaga: 120 W Broj obrtaja pri praznom hodu: 1700 min-1 Stezi moment: 0,8 – 2 Nm Navoji M4	3165140216333	102,700.00	123,240.00
0607454007		0	x	7	<a href="http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.454.007">http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.454.007</a>	Ravni odvrtlač 120 W	Snaga: 120 W Broj obrtaja pri praznom hodu: 1050 min-1 Stezi moment: 0,8 – 3,4 Nm Navoji M4	3165140216340	102,700.00	123,240.00
0607454228		0	x	7	<a href="http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.454.228">http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.454.228</a>	Ravni odvrtlač 120 W	Snaga: 120 W Broj obrtaja pri praznom hodu: 2300 min-1 Stezi moment: 0,8 – 2,5 Nm Navoji M4	3165140220200	125,700.00	150,840.00
0607454229		0	x	7	<a href="http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.454.229">http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.454.229</a>	Ravni odvrtlač 120 W	Snaga: 120 W Broj obrtaja pri praznom hodu: 1700 min-1 Stezi moment: 0,8 – 3 Nm Navoji M4	3165140196376	125,700.00	150,840.00
0607454230		x	0	2	<a href="http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.454.230">http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.454.230</a>	Ravni odvrtlač 120 W	Snaga: 120 W Broj obrtaja pri praznom hodu: 1050 min-1 Stezi moment: 0,8 – 3,4 Nm Navoji M4	3165140196369	125,700.00	150,840.00
0607454231		x	0	2	<a href="http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.454.231">http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.454.231</a>	Ravni odvrtlač 120 W	Snaga: 120 W Broj obrtaja pri praznom hodu: 640 min-1 Stezi moment: 0,8 – 5 Nm Navoji M5	3165140196390	125,700.00	150,840.00
0607454232		0	x	7	<a href="http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.454.232">http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.454.232</a>	Ravni odvrtlač 120 W	Snaga: 120 W Broj obrtaja pri praznom hodu: 400 min-1 Stezi moment: 0,8 – 7 Nm Navoji M4	3165140196406	125,700.00	150,840.00
0607454234		0	x	7	<a href="http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.454.234">http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.454.234</a>	Ravni odvrtlač 120 W	Snaga: 120 W Broj obrtaja pri praznom hodu: 1700 min-1 Stezi moment: 0,8 – 3 Nm Navoji M4	3165140196413	136,100.00	163,320.00
0607454235			0	x	7	<a href="http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.454.235">http://www.boschergroenland.com/uk/koobcs2-epssearch.htm?searchterm=0.607.454.235</a>	Ravni odvrtlač 120 W	Snaga: 120 W Broj obrtaja pri praznom hodu: 1050 min-1 Stezi moment: 0,8 – 3,4 Nm Navoji M4	3165140196420	136,100.00





0607454236		0	x	7	<a href="http://www.boschproduktions.com/uk/obsc2?cpsearchItem?searchTerm=607_454_236">http://www.boschproduktions.com/uk/obsc2?cpsearchItem?searchTerm=607_454_236</a>	Ravni odvrtlač 120 W	Snaga: 120 W Broj obrtaja pri praznom hodu: 640 min-1 Stezi moment: 0,8 – 5 Nm Navoi M5	3165140196437	136,100.00	163,320.00
0607454237		0	x	7	<a href="http://www.boschproduktions.com/uk/obsc2?cpsearchItem?searchTerm=607_454_237">http://www.boschproduktions.com/uk/obsc2?cpsearchItem?searchTerm=607_454_237</a>	Ravni odvrtlač 120 W	Snaga: 120 W Broj obrtaja pri praznom hodu: 400 min-1 Stezi moment: 0,8 – 7 Nm Navoi M5	3165140196444	136,100.00	163,320.00
0607454238		0	x	7	<a href="http://www.boschproduktions.com/uk/obsc2?cpsearchItem?searchTerm=607_454_238">http://www.boschproduktions.com/uk/obsc2?cpsearchItem?searchTerm=607_454_238</a>	Ravni odvrtlač 120 W	Snaga: 120 W Broj obrtaja pri praznom hodu: 1700 min-1 Stezi moment: 0,8 – 3 Nm Navoi M4	3165140216357	102,700.00	123,240.00
0607454239		0	x	7	<a href="http://www.boschproduktions.com/uk/obsc2?cpsearchItem?searchTerm=607_454_239">http://www.boschproduktions.com/uk/obsc2?cpsearchItem?searchTerm=607_454_239</a>	Ravni odvrtlač 120 W	Snaga: 120 W Broj obrtaja pri praznom hodu: 1050 min-1 Stezi moment: 0,8 – 3,4 Nm Navoi M5	3165140216364	102,700.00	123,240.00








Ravni odvrtčači 20 W		Naziv		Tehnički opis		EAN kod	VP cena (RSD)	MP cena (RSD)		
0607459203		x	0	2	<a href="http://www.boschproduktions.com/uk/obsc2?cpsearchItem?searchTerm=607_459_203">http://www.boschproduktions.com/uk/obsc2?cpsearchItem?searchTerm=607_459_203</a>	Ravni odvrtlač 20 W	Snaga: 20 W Broj obrtaja pri praznom hodu: 800 min-1 Stezi moment: 0,06 – 1 Nm Navoi M3	3165140122368	130,100.00	156,120.00
0607459205		0	x	7	<a href="http://www.boschproduktions.com/uk/obsc2?cpsearchItem?searchTerm=607_459_205">http://www.boschproduktions.com/uk/obsc2?cpsearchItem?searchTerm=607_459_205</a>	Ravni odvrtlač 20 W	Snaga: 20 W Broj obrtaja pri praznom hodu: 1200 min-1 Stezi moment: 0,06 – 0,8 Nm Navoi M3	3165140122382	140,200.00	168,240.00
0607459204		0	x	7	<a href="http://www.boschproduktions.com/uk/obsc2?cpsearchItem?searchTerm=607_459_204">http://www.boschproduktions.com/uk/obsc2?cpsearchItem?searchTerm=607_459_204</a>	Ravni odvrtlač 20 W	Snaga: 20 W Broj obrtaja pri praznom hodu: 800 min-1 Stezi moment: 0,06 – 1 Nm Navoi M3	3165140122375	140,200.00	168,240.00







Ravni odvrtčači 400 W		Naziv		Tehnički opis		EAN kod	VP cena (RSD)	MP cena (RSD)		
0607461205		0	x	7	<a href="http://www.boschproduktions.com/uk/obsc2?cpsearchItem?searchTerm=607_461_205">http://www.boschproduktions.com/uk/obsc2?cpsearchItem?searchTerm=607_461_205</a>	Ravni odvrtlač 400 W	Snaga: 400 W Broj obrtaja pri praznom hodu: 1050 min-1 Stezi moment: 5,5 – 10 Nm Navoi M6	3165140122443	130,100.00	156,120.00
0607461206		x	0	2	<a href="http://www.boschproduktions.com/uk/obsc2?cpsearchItem?searchTerm=607_461_206">http://www.boschproduktions.com/uk/obsc2?cpsearchItem?searchTerm=607_461_206</a>	Ravni odvrtlač 400 W	Snaga: 400 W Broj obrtaja pri praznom hodu: 700 min-1 Stezi moment: 5,5 – 15 Nm Navoi M8	3165140122450	130,100.00	156,120.00


Odvrtčači 400 W		Naziv		Tehnički opis		EAN kod	VP cena (RSD)	MP cena (RSD)		
0607461407		0	x	7	<a href="http://www.boschproduktions.com/uk/obsc2?cpsearchItem?searchTerm=607_461_407">http://www.boschproduktions.com/uk/obsc2?cpsearchItem?searchTerm=607_461_407</a>	Odvrtlač 400 W	Snaga: 400 W Broj obrtaja pri praznom hodu: 400 min-1 Stezi moment: 8,5 – 26 Nm Navoi M10	3165140122559	122,800.00	147,360.00
0607461405		0	x	7	<a href="http://www.boschproduktions.com/uk/obsc2?cpsearchItem?searchTerm=607_461_405">http://www.boschproduktions.com/uk/obsc2?cpsearchItem?searchTerm=607_461_405</a>	Odvrtlač 400 W	Snaga: 400 W Broj obrtaja pri praznom hodu: 700 min-1 Stezi moment: 8,5 – 15 Nm Navoi M8	3165140122535	131,300.00	157,560.00
0607461406		0	x	7	<a href="http://www.boschproduktions.com/uk/obsc2?cpsearchItem?searchTerm=607_461_406">http://www.boschproduktions.com/uk/obsc2?cpsearchItem?searchTerm=607_461_406</a>	Odvrtlač 400 W	Snaga: 400 W Broj obrtaja pri praznom hodu: 400 min-1 Stezi moment: 8,5 – 26 Nm Navoi M10	3165140122542	131,300.00	157,560.00
0607461409		0	x	7	<a href="http://www.boschproduktions.com/uk/obsc2?cpsearchItem?searchTerm=607_461_409">http://www.boschproduktions.com/uk/obsc2?cpsearchItem?searchTerm=607_461_409</a>	Odvrtlač 400 W	Snaga: 400 W Broj obrtaja pri praznom hodu: 450 min-1 Stezi moment: 8,5 – 26 Nm Navoi M10	3165140122573	132,800.00	159,360.00

Odvijač		Naziv		Tehnički opis		EAN kod	VP cena (RSD)	MP cena (RSD)		
0607453421		0	x	7	<a href="http://www.boschproduktions.com/uk/obsc2?cpsearchItem?searchTerm=607_453_421">http://www.boschproduktions.com/uk/obsc2?cpsearchItem?searchTerm=607_453_421</a>	Odvijač	Snaga: 180 W Broj obrtaja pri praznom hodu: 950 min-1 Stezi moment: 1,2 - 5,5 Nm Navoi do 5 mm	3165140121866	104,700.00	125,640.00
0607453422		0	x	7	<a href="http://www.boschproduktions.com/uk/obsc2?cpsearchItem?searchTerm=607_453_422">http://www.boschproduktions.com/uk/obsc2?cpsearchItem?searchTerm=607_453_422</a>	Odvijač	Snaga: 180 W Broj obrtaja pri praznom hodu: 1500 min-1 Stezi moment: 1,2 - 4,5 Nm Navoi do 5 mm	3165140121873	104,700.00	125,640.00
0607461413		0	x	7	<a href="http://www.boschproduktions.com/uk/obsc2?cpsearchItem?searchTerm=607_461_413">http://www.boschproduktions.com/uk/obsc2?cpsearchItem?searchTerm=607_461_413</a>	Odvijač	Snaga: 400 W Broj obrtaja pri praznom hodu: 400 min-1 Stezi moment: do 26 Nm Navoi do 10 mm	3165140122610	137,300.00	164,760.00









Ugaoni odvijači 370 W		Naziv		Tehnički opis		EAN kod	VP cena (RSD)	MP cena (RSD)		
0607451600		0	x	7	<a href="http://www.boschproduktions.com/uk/obsc2?cpsearchItem?searchTerm=607_451_600">http://www.boschproduktions.com/uk/obsc2?cpsearchItem?searchTerm=607_451_600</a>	Ugaoni odvijač 370 W	Snaga: 370 W Broj obrtaja pri praznom hodu: 360 min-1 Stezi moment: 7 – 27 Nm Navoi M10	3165140121576	257,100.00	308,520.00
0607451601		0	x	7	<a href="http://www.boschproduktions.com/uk/obsc2?cpsearchItem?searchTerm=607_451_601">http://www.boschproduktions.com/uk/obsc2?cpsearchItem?searchTerm=607_451_601</a>	Ugaoni odvijač 370 W	Snaga: 370 W Broj obrtaja pri praznom hodu: 360 min-1 Stezi moment: 7 – 27 Nm Navoi M10	3165140121583	257,100.00	308,520.00
0607451602		0	x	7	<a href="http://www.boschproduktions.com/uk/obsc2?cpsearchItem?searchTerm=607_451_602">http://www.boschproduktions.com/uk/obsc2?cpsearchItem?searchTerm=607_451_602</a>	Ugaoni odvijač 370 W	Snaga: 370 W Broj obrtaja pri praznom hodu: 360 min-1 Stezi moment: 7 – 28 Nm Navoi M10	3165140121590	257,100.00	308,520.00
0607451603		0	x	7	<a href="http://www.boschproduktions.com/uk/obsc2?cpsearchItem?searchTerm=607_451_603">http://www.boschproduktions.com/uk/obsc2?cpsearchItem?searchTerm=607_451_603</a>	Ugaoni odvijač 370 W	Snaga: 370 W Broj obrtaja pri praznom hodu: 360 min-1 Stezi moment: 7 – 28 Nm Navoi M10	3165140121606	260,500.00	312,600.00
0607451604		0	x	7	<a href="http://www.boschproduktions.com/uk/obsc2?cpsearchItem?searchTerm=607_451_604">http://www.boschproduktions.com/uk/obsc2?cpsearchItem?searchTerm=607_451_604</a>	Ugaoni odvijač 370 W	Snaga: 370 W Broj obrtaja pri praznom hodu: 280 min-1 Stezi moment: 7 – 30 Nm Navoi M10	3165140121613	257,100.00	308,520.00
0607451605		0	x	7	<a href="http://www.boschproduktions.com/uk/obsc2?cpsearchItem?searchTerm=607_451_605">http://www.boschproduktions.com/uk/obsc2?cpsearchItem?searchTerm=607_451_605</a>	Ugaoni odvijač 370 W	Snaga: 370 W Broj obrtaja pri praznom hodu: 280 min-1 Stezi moment: 7 – 30 Nm Navoi M10	3165140121620	257,100.00	308,520.00
0607451606		0	x	7	<a href="http://www.boschproduktions.com/uk/obsc2?cpsearchItem?searchTerm=607_451_606">http://www.boschproduktions.com/uk/obsc2?cpsearchItem?searchTerm=607_451_606</a>	Ugaoni odvijač 370 W	Snaga: 370 W Broj obrtaja pri praznom hodu: 360 min-1 Stezi moment: 7 – 27 Nm Navoi M10	3165140121637	257,100.00	308,520.00
0607451607		0	x	7	<a href="http://www.boschproduktions.com/uk/obsc2?cpsearchItem?searchTerm=607_451_607">http://www.boschproduktions.com/uk/obsc2?cpsearchItem?searchTerm=607_451_607</a>	Ugaoni odvijač 370 W	Snaga: 370 W Broj obrtaja pri praznom hodu: 360 min-1 Stezi moment: 7 – 27 Nm Navoi M10	3165140121644	257,100.00	308,520.00



Ugaoni odvrtlač 550 W				Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)	
0607452603		0	x 7	<a href="http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.452.603">http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.452.603</a>	Ugaoni odvrtlač 550 W	Snaga: 550 W Broj obrtaja pri praznom hodu: 570 min-1 Stezi moment: 10 – 38 Nm Navoi M10	3165140424967	298,300.00	357,960.00
0607452604		0	x 7	<a href="http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.452.604">http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.452.604</a>	Ugaoni odvrtlač 550 W	Snaga: 550 W Broj obrtaja pri praznom hodu: 400 min-1 Stezi moment: 16 – 56 Nm Navoi M10	3165140424950	298,300.00	357,960.00
0607452605		0	x 7	<a href="http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.452.605">http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.452.605</a>	Ugaoni odvrtlač 550 W	Snaga: 550 W Broj obrtaja pri praznom hodu: 320 min-1 Stezi moment: 20 – 68 Nm Navoi M12	3165140424974	298,300.00	357,960.00
0607452606		0	x 7	<a href="http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.452.606">http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.452.606</a>	Ugaoni odvrtlač 550 W	Snaga: 550 W Broj obrtaja pri praznom hodu: 320 min-1 Stezi moment: 20 – 68 Nm Navoi M12	3165140463027	250,300.00	300,360.00
0607452607		0	x 7	<a href="http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.452.607">http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.452.607</a>	Ugaoni odvrtlač 550 W	Snaga: 550 W Broj obrtaja pri praznom hodu: 320 min-1 Stezi moment: 20 – 68 Nm Navoi M12	3165140476973	331,400.00	397,680.00
0607452608		0	x 7	<a href="http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.452.608">http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.452.608</a>	Prođužetak DWAS 68	Težina: 0,2 kg	3165140476980	34,500.00	41,400.00
0607452609		0	x 7	<a href="http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.452.609">http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.452.609</a>	Prođužetak DWAS 56	Težina: 0,2 kg	3165140476997	34,500.00	41,400.00





Ugaoni odvijači 180 W				Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)	
0607453621		0	x 7	<a href="http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.453.621">http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.453.621</a>	Ugaoni odvijač 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 670 min-1 Stezi moment: 1,5 – 8 Nm Navoi M5	3165140190893	234,100.00	280,920.00
0607453622		0	x 7	<a href="http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.453.622">http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.453.622</a>	Ugaoni odvijač 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 670 min-1 Stezi moment: 1,5 – 8 Nm Navoi M5	3165140190909	234,100.00	280,920.00
0607453623		0	x 7	<a href="http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.453.623">http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.453.623</a>	Ugaoni odvijač 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 420 min-1 Stezi moment: 2 – 10 Nm Navoi M6	3165140190916	234,100.00	280,920.00
0607453624		0	x 7	<a href="http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.453.624">http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.453.624</a>	Ugaoni odvijač 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 420 min-1 Stezi moment: 2 – 10 Nm Navoi M6	3165140190923	234,100.00	280,920.00
0607453625		0	x 7	<a href="http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.453.625">http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.453.625</a>	Ugaoni odvijač 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 260 min-1 Stezi moment: 2 – 15 Nm Navoi M8	3165140190930	234,100.00	280,920.00
0607453626		x	0 2	<a href="http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.453.626">http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.453.626</a>	Ugaoni odvijač 180 W	Snaga: 180 W Broj obrtaja pri praznom hodu: 260 min-1 Stezi moment: 2 – 15 Nm Navoi M8	3165140190947	234,100.00	280,920.00



Ugaoni odvijači 740 W				Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)	
0607457600		0	x 7	<a href="http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.457.600">http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.457.600</a>	Ugaoni odvijač 740 W	Snaga: 740 W Broj obrtaja pri praznom hodu: 200 min-1 Stezi moment: 39 – 100 Nm Navoi M14	3165140122344	363,600.00	436,320.00
0607457601		0	x 7	<a href="http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.457.601">http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.457.601</a>	Ugaoni odvijač 740 W	Snaga: 740 W Broj obrtaja pri praznom hodu: 270 min-1 Stezi moment: 31 – 80 Nm Navoi M14	3165140122351	363,600.00	436,320.00
0607457602		0	x 7	<a href="http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.457.602">http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.457.602</a>	Ugaoni odvijač 740 W	Snaga: 740 W Broj obrtaja pri praznom hodu: 100 min-1 Stezi moment: 50 – 120 Nm Navoi M16	3165140190541	383,000.00	459,600.00



Impulsni odvijači 300 W				Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)	
0607661505		x	0 2	<a href="http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.661.505">http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.661.505</a>	Ugaoni odvijač 300 W	Snaga: 300 W Broj obrtaja pri praznom hodu: 4500 min-1 Stezi moment: 16 – 35 Nm Navoi M8	3165140122818	195,900.00	235,080.00
0607661506		0	x 7	<a href="http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.661.506">http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.661.506</a>	Ugaoni odvijač 300 W	Snaga: 300 W Broj obrtaja pri praznom hodu: 4500 min-1 Stezi moment: 16 – 35 Nm Navoi M8	3165140122825	195,900.00	235,080.00
0607661507		x	0 2	<a href="http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.661.507">http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.661.507</a>	Ugaoni odvijač 300 W	Snaga: 300 W Broj obrtaja pri praznom hodu: 4700 min-1 Stezi moment: 28 – 60 Nm Navoi M10	3165140122832	215,300.00	258,360.00
0607661509		x	0 2	<a href="http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.661.509">http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.661.509</a>	Ugaoni odvijač 300 W	Snaga: 300 W Broj obrtaja pri praznom hodu: 4000 min-1 Stezi moment: 8 – 18 Nm Navoi M6	3165140122856	179,000.00	214,800.00
0607661510		0	x 7	<a href="http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.661.510">http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.661.510</a>	Ugaoni odvijač 300 W	Snaga: 300 W Broj obrtaja pri praznom hodu: 4000 min-1 Stezi moment: 8 – 18 Nm Navoi M6	3165140122863	179,000.00	214,800.00




Balanseri				Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)	
0607950938		x	0 2	<a href="http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.950.938">http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.950.938</a>	Balanser	Min. opterećenje: 0,4 kg Maks. opterećenje: 1,2 kg Maks. hod: 800 mm Težina: 1,3 kg	3165140123051	24,100.00	28,920.00
0607950939		x	0 2	<a href="http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.950.939">http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.950.939</a>	Balanser	Min. opterećenje: 1,2 kg Maks. opterećenje: 2,2 kg Maks. hod: 800 mm Težina: 1,4 kg	3165140123068	24,100.00	28,920.00
0607950950		x	0 2	<a href="http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.950.950">http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.950.950</a>	Balanser	Min. opterećenje: 0,5 kg Maks. opterećenje: 1,2 kg Maks. hod: 2000 mm Težina: 0,6 kg	3165140624305	7,900.00	9,480.00
0607950951		x	0 2	<a href="http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.950.951">http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.950.951</a>	Balanser	Min. opterećenje: 1 kg Maks. opterećenje: 2 kg Maks. hod: 2000 mm Težina: 0,6 kg	3165140624725	7,900.00	9,480.00
0607950953		x	0 2	<a href="http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.950.953">http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.950.953</a>	Balanser	Min. opterećenje: 1,2 kg Maks. opterećenje: 2,5 kg Maks. hod: 1600 mm Težina: 0,6 kg	3165140624749	9,100.00	10,920.00
0607950954		x	0 2	<a href="http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.950.954">http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.950.954</a>	Balanser	Min. opterećenje: 2,5 kg Maks. opterećenje: 5 kg Maks. hod: 3000 mm Težina: 3,3 kg	3165140629546	24,800.00	29,760.00
0607950955		x	0 2	<a href="http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.950.955">http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.950.955</a>	Balanser	Min. opterećenje: 4 kg Maks. opterećenje: 8 kg Maks. hod: 3000 mm Težina: 3,7 kg	3165140629553	27,200.00	32,640.00
0607950956		x	0 2	<a href="http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.950.956">http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.950.956</a>	Balanser	Min. opterećenje: 7 kg Maks. opterećenje: 10 kg Maks. hod: 3000 mm Težina: 3,7 kg	3165140629560	27,700.00	33,240.00
0607950958		x	0 2	<a href="http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.950.958">http://www.boschergroductorbos.com/ukgobccs2?spisearch.htm?searchterm=0.607.950.958</a>	Balanser	Min. opterećenje: 1,2 kg Maks. opterećenje: 2,8 kg Maks. hod: 1600 mm Težina: 1,4 kg	3165140629584	16,800.00	20,160.00








Asortiman motora 300 / 340 (R/L) / 370 W				Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)
0607951300		0	x 6	<a href="http://www.boschproduktions.com/ukobscs2-epsearch.htm?searchterm=0.607.951.300">http://www.boschproduktions.com/ukobscs2-epsearch.htm?searchterm=0.607.951.300</a>	Motor 370 W Snaga: 370 W Obrotni momenat: 25 Nm Broj obrtaja pri praznom hodu: 600 min-1 Težina: 0,9 kg Prklučak: G 1/8"	3165140123082	91,400.00	109,680.00
0607951301		0	x 6	<a href="http://www.boschproduktions.com/ukobscs2-epsearch.htm?searchterm=0.607.951.301">http://www.boschproduktions.com/ukobscs2-epsearch.htm?searchterm=0.607.951.301</a>	Motor 370 W Snaga: 370 W Obrotni momenat: 15 Nm Broj obrtaja pri praznom hodu: 930 min-1 Težina: 0,9 kg Prklučak: G 1/8"	3165140123099	91,400.00	109,680.00
0607951302		0	x 7	<a href="http://www.boschproduktions.com/ukobscs2-epsearch.htm?searchterm=0.607.951.302">http://www.boschproduktions.com/ukobscs2-epsearch.htm?searchterm=0.607.951.302</a>	Motor 370 W Snaga: 370 W Obrotni momenat: 15 Nm Broj obrtaja pri praznom hodu: 930 min-1 Težina: 0,9 kg Prklučak: G 1/8"	3165140123105	91,400.00	109,680.00
0607951303		0	x 6	<a href="http://www.boschproduktions.com/ukobscs2-epsearch.htm?searchterm=0.607.951.303">http://www.boschproduktions.com/ukobscs2-epsearch.htm?searchterm=0.607.951.303</a>	Motor 370 W Snaga: 370 W Obrotni momenat: 4,5 Nm Broj obrtaja pri praznom hodu: 3300 min-1 Težina: 0,7 kg Prklučak: G 1/8"	3165140123112	91,400.00	109,680.00
0607951304		0	x 7	<a href="http://www.boschproduktions.com/ukobscs2-epsearch.htm?searchterm=0.607.951.304">http://www.boschproduktions.com/ukobscs2-epsearch.htm?searchterm=0.607.951.304</a>	Motor 370 W Obrotni momenat: 25 Nm Broj obrtaja pri praznom hodu: 490 min-1 Težina: 0,9 kg Prklučak: G 1/8"	3165140123129	100,300.00	120,360.00
0607951305		0	x 6	<a href="http://www.boschproduktions.com/ukobscs2-epsearch.htm?searchterm=0.607.951.305">http://www.boschproduktions.com/ukobscs2-epsearch.htm?searchterm=0.607.951.305</a>	Motor 340 W Snaga: 340 W Obrotni momenat: 15 Nm Broj obrtaja pri praznom hodu: 780 min-1 Težina: 0,9 kg Prklučak: G 1/8"	3165140123136	100,300.00	120,360.00
0607951306		0	x 6	<a href="http://www.boschproduktions.com/ukobscs2-epsearch.htm?searchterm=0.607.951.306">http://www.boschproduktions.com/ukobscs2-epsearch.htm?searchterm=0.607.951.306</a>	Motor 340 W Snaga: 340 W Obrotni momenat: 9 Nm Broj obrtaja pri praznom hodu: 1400 min-1 Težina: 0,9 kg Prklučak: G 1/8"	3165140123143	100,300.00	120,360.00
0607951307		0	x 6	<a href="http://www.boschproduktions.com/ukobscs2-epsearch.htm?searchterm=0.607.951.307">http://www.boschproduktions.com/ukobscs2-epsearch.htm?searchterm=0.607.951.307</a>	Motor 340 W Snaga: 340 W Obrotni momenat: 4,5 Nm Broj obrtaja pri praznom hodu: 2700 min-1 Težina: 0,8 kg Prklučak: G 1/8"	3165140123150	100,300.00	120,360.00
0607951311		0	x 6	<a href="http://www.boschproduktions.com/ukobscs2-epsearch.htm?searchterm=0.607.951.311">http://www.boschproduktions.com/ukobscs2-epsearch.htm?searchterm=0.607.951.311</a>	Motor 370 W Obrotni momenat: 25 Nm Broj obrtaja pri praznom hodu: 600 min-1 Težina: 0,9 kg Prklučak: G 1/8"	3165140123167	106,300.00	127,560.00
0607951312		0	x 6	<a href="http://www.boschproduktions.com/ukobscs2-epsearch.htm?searchterm=0.607.951.312">http://www.boschproduktions.com/ukobscs2-epsearch.htm?searchterm=0.607.951.312</a>	Motor 370 W Obrotni momenat: 15 Nm Broj obrtaja pri praznom hodu: 930 min-1 Težina: 0,9 kg Prklučak: G 1/8"	3165140123174	106,300.00	127,560.00
0607951313		0	x 7	<a href="http://www.boschproduktions.com/ukobscs2-epsearch.htm?searchterm=0.607.951.313">http://www.boschproduktions.com/ukobscs2-epsearch.htm?searchterm=0.607.951.313</a>	Motor 370 W Obrotni momenat: 9 Nm Broj obrtaja pri praznom hodu: 1620 min-1 Težina: 0,9 kg Prklučak: G 1/8"	3165140123181	106,300.00	127,560.00
0607951314		x 0	2	<a href="http://www.boschproduktions.com/ukobscs2-epsearch.htm?searchterm=0.607.951.314">http://www.boschproduktions.com/ukobscs2-epsearch.htm?searchterm=0.607.951.314</a>	Motor 340 W Obrotni momenat: 25 Nm Broj obrtaja pri praznom hodu: 490 min-1 Težina: 0,9 kg Prklučak: G 1/8"	3165140123198	105,100.00	126,120.00
0607951315		0	x 7	<a href="http://www.boschproduktions.com/ukobscs2-epsearch.htm?searchterm=0.607.951.315">http://www.boschproduktions.com/ukobscs2-epsearch.htm?searchterm=0.607.951.315</a>	Motor 340 W Obrotni momenat: 15 Nm Broj obrtaja pri praznom hodu: 780 min-1 Težina: 0,87 kg Prklučak: G 1/8"	3165140123204	105,100.00	126,120.00
0607951316		0	x 7	<a href="http://www.boschproduktions.com/ukobscs2-epsearch.htm?searchterm=0.607.951.316">http://www.boschproduktions.com/ukobscs2-epsearch.htm?searchterm=0.607.951.316</a>	Motor 340 W Obrotni momenat: 9 Nm Broj obrtaja pri praznom hodu: 1400 min-1 Težina: 0,87 kg Prklučak: G 1/8"	3165140123211	105,100.00	126,120.00
0607951318		0	x 6	<a href="http://www.boschproduktions.com/ukobscs2-epsearch.htm?searchterm=0.607.951.318">http://www.boschproduktions.com/ukobscs2-epsearch.htm?searchterm=0.607.951.318</a>	Motor 340 W Snaga: 340 W Obrotni momenat: 25 Nm Broj obrtaja pri praznom hodu: 490 min-1 Težina: 0,9 kg Prklučak: G 1/8"	3165140123235	105,100.00	126,120.00
0607951322		0	x 6	<a href="http://www.boschproduktions.com/ukobscs2-epsearch.htm?searchterm=0.607.951.322">http://www.boschproduktions.com/ukobscs2-epsearch.htm?searchterm=0.607.951.322</a>	Motor 300 W Snaga: 300 W Obrotni momenat: 22 Nm Broj obrtaja pri praznom hodu: 540 min-1 Težina: 0,9 kg Prklučak: G 1/8"	3165140123259	105,100.00	126,120.00
0607951323		0	x 6	<a href="http://www.boschproduktions.com/ukobscs2-epsearch.htm?searchterm=0.607.951.323">http://www.boschproduktions.com/ukobscs2-epsearch.htm?searchterm=0.607.951.323</a>	Motor 340 W Snaga: 340 W Obrotni momenat: 25 Nm Broj obrtaja pri praznom hodu: 490 min-1 Težina: 0,98 kg Prklučak: G 1/8"	3165140123266	105,100.00	126,120.00
0607951325		0	x 6	<a href="http://www.boschproduktions.com/ukobscs2-epsearch.htm?searchterm=0.607.951.325">http://www.boschproduktions.com/ukobscs2-epsearch.htm?searchterm=0.607.951.325</a>	Motor 340 W Snaga: 340 W Obrotni momenat: 25 Nm Broj obrtaja pri praznom hodu: 490 min-1 Težina: 0,9 kg Prklučak: G 1/8"	3165140123273	105,100.00	126,120.00
0607951326		0	x 6	<a href="http://www.boschproduktions.com/ukobscs2-epsearch.htm?searchterm=0.607.951.326">http://www.boschproduktions.com/ukobscs2-epsearch.htm?searchterm=0.607.951.326</a>	Motor 340 W Snaga: 340 W Obrotni momenat: 9 Nm Broj obrtaja pri praznom hodu: 1400 min-1 Težina: 0,9 kg Prklučak: G 1/8"	3165140123280	105,100.00	126,120.00

Asortiman motora 500 (R/L) / 550 W				Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)
0607952300		0	x 7	<a href="http://www.boschproduktions.com/ukobscs2-epsearch.htm?searchterm=0.607.952.300">http://www.boschproduktions.com/ukobscs2-epsearch.htm?searchterm=0.607.952.300</a>	Motor 550 W Snaga: 550 W Obrotni momenat: 28 Nm Broj obrtaja pri praznom hodu: 760 min-1 Težina: 1,4 kg Prklučak: G 1/4"	3165140123334	128,900.00	154,680.00
0607952301		0	x 6	<a href="http://www.boschproduktions.com/ukobscs2-epsearch.htm?searchterm=0.607.952.301">http://www.boschproduktions.com/ukobscs2-epsearch.htm?searchterm=0.607.952.301</a>	Motor 550 W Snaga: 550 W Obrotni momenat: 15,5 Nm Broj obrtaja pri praznom hodu: 1350 min-1 Težina: 1,4 kg Prklučak: G 1/4"	3165140123341	128,900.00	154,680.00
0607952302		0	x 6	<a href="http://www.boschproduktions.com/ukobscs2-epsearch.htm?searchterm=0.607.952.302">http://www.boschproduktions.com/ukobscs2-epsearch.htm?searchterm=0.607.952.302</a>	Motor 550 W Snaga: 550 W Obrotni momenat: 6,5 Nm Broj obrtaja pri praznom hodu: 3000 min-1 Težina: 1,2 kg Prklučak: G 1/4"	3165140123358	128,900.00	154,680.00
0607952303		0	x 6	<a href="http://www.boschproduktions.com/ukobscs2-epsearch.htm?searchterm=0.607.952.303">http://www.boschproduktions.com/ukobscs2-epsearch.htm?searchterm=0.607.952.303</a>	Motor 500 W Snaga: 500 W Obrotni momenat: 28 Nm Broj obrtaja pri praznom hodu: 650 min-1 Težina: 1,4 kg Prklučak: G 1/4"	3165140123365	144,600.00	173,520.00
0607952304		0	x 6	<a href="http://www.boschproduktions.com/ukobscs2-epsearch.htm?searchterm=0.607.952.304">http://www.boschproduktions.com/ukobscs2-epsearch.htm?searchterm=0.607.952.304</a>	Motor 500 W Snaga: 500 W Obrotni momenat: 15,5 Nm Broj obrtaja pri praznom hodu: 1150 min-1 Težina: 1,4 kg Prklučak: G 1/4"	3165140123372	144,600.00	173,520.00
0607952305		0	x 6	<a href="http://www.boschproduktions.com/ukobscs2-epsearch.htm?searchterm=0.607.952.305">http://www.boschproduktions.com/ukobscs2-epsearch.htm?searchterm=0.607.952.305</a>	Motor 500 W Snaga: 500 W Obrotni momenat: 6,5 Nm Broj obrtaja pri praznom hodu: 2700 min-1 Težina: 1,2 kg Prklučak: G 1/4"	3165140123389	144,600.00	173,520.00

Asortiman motora 160 (R/L) / 180 W				Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)	
0607953331		0	x 7	<a href="http://www.boschproduktions.com/uk/kojice2?qssearch=160&amp;searchterm=0.607.953.331">http://www.boschproduktions.com/uk/kojice2?qssearch=160&amp;searchterm=0.607.953.331</a>	Motor 180 W	Snaga: 180 W Obrotni momenat: 7,7 Nm Broj obrtaja pri praznom hodu: 740 min-1 Dimenzije vretena: 3/8"-24 UNF-2A Prikjučak: G 1/8" Težina: 0,68 kg	3165140216401	102,200.00	122,640.00
0607953332		0	x 6	<a href="http://www.boschproduktions.com/uk/kojice2?qssearch=160&amp;searchterm=0.607.953.332">http://www.boschproduktions.com/uk/kojice2?qssearch=160&amp;searchterm=0.607.953.332</a>	Motor 180 W	Snaga: 180 W Obrotni momenat: 4,7 Nm Broj obrtaja pri praznom hodu: 1190 min-1 Dimenzije vretena: 3/8"-24 UNF-2A Prikjučak: G 1/8" Težina: 0,6 kg	3165140216418	102,200.00	122,640.00
0607953333		0	x 6	<a href="http://www.boschproduktions.com/uk/kojice2?qssearch=160&amp;searchterm=0.607.953.333">http://www.boschproduktions.com/uk/kojice2?qssearch=160&amp;searchterm=0.607.953.333</a>	Motor 180 W	Snaga: 180 W Obrotni momenat: 3,2 Nm Broj obrtaja pri praznom hodu: 1875 min-1 Dimenzije vretena: 3/8"-24 UNF-2A Prikjučak: G 1/8" Težina: 0,6 kg	3165140216425	102,200.00	122,640.00
0607953334		0	x 6	<a href="http://www.boschproduktions.com/uk/kojice2?qssearch=160&amp;searchterm=0.607.953.334">http://www.boschproduktions.com/uk/kojice2?qssearch=160&amp;searchterm=0.607.953.334</a>	Motor 180 W	Snaga: 180 W Obrotni momenat: 1,6 Nm Broj obrtaja pri praznom hodu: 3300 min-1 Dimenzije vretena: 3/8"-24 UNF-2A Prikjučak: G 1/8" Težina: 0,6 kg	3165140216432	103,300.00	123,960.00
0607953335		0	x 6	<a href="http://www.boschproduktions.com/uk/kojice2?qssearch=160&amp;searchterm=0.607.953.335">http://www.boschproduktions.com/uk/kojice2?qssearch=160&amp;searchterm=0.607.953.335</a>	Motor 180 W	Snaga: 180 W Obrotni momenat: 6,5 Nm Broj obrtaja pri praznom hodu: 620 min-1 Dimenzije vretena: 3/8"-24 UNF-2A Prikjučak: G 1/8" Težina: 0,6 kg	3165140216449	102,200.00	122,640.00
0607953336		0	x 6	<a href="http://www.boschproduktions.com/uk/kojice2?qssearch=160&amp;searchterm=0.607.953.336">http://www.boschproduktions.com/uk/kojice2?qssearch=160&amp;searchterm=0.607.953.336</a>	Motor 180 W	Snaga: 180 W Obrotni momenat: 4,5 Nm Broj obrtaja pri praznom hodu: 1000 min-1 Dimenzije vretena: 3/8"-24 UNF-2A Prikjučak: G 1/8" Težina: 0,6 kg	3165140216456	102,200.00	122,640.00
0607953337		0	x 7	<a href="http://www.boschproduktions.com/uk/kojice2?qssearch=160&amp;searchterm=0.607.953.337">http://www.boschproduktions.com/uk/kojice2?qssearch=160&amp;searchterm=0.607.953.337</a>	Motor 180 W	Snaga: 180 W Obrotni momenat: 3 Nm Broj obrtaja pri praznom hodu: 1600 min-1 Dimenzije vretena: 3/8"-24 UNF-2A Prikjučak: G 1/8" Težina: 0,6 kg	3165140216463	91,400.00	109,680.00
0607953338		0	x 6	<a href="http://www.boschproduktions.com/uk/kojice2?qssearch=160&amp;searchterm=0.607.953.338">http://www.boschproduktions.com/uk/kojice2?qssearch=160&amp;searchterm=0.607.953.338</a>	Motor 180 W	Snaga: 180 W Obrotni momenat: 1,5 Nm Broj obrtaja pri praznom hodu: 2800 min-1 Dimenzije vretena: 3/8"-24 UNF-2A Prikjučak: G 1/8" Težina: 0,6 kg	3165140216470	91,400.00	109,680.00
0607953339		0	x 6	<a href="http://www.boschproduktions.com/uk/kojice2?qssearch=160&amp;searchterm=0.607.953.339">http://www.boschproduktions.com/uk/kojice2?qssearch=160&amp;searchterm=0.607.953.339</a>	Motor 180 W	Snaga: 180 W Obrotni momenat: 1,1 Nm Broj obrtaja pri praznom hodu: 4500 min-1 Dimenzije vretena: 3/8"-24 UNF-2A Prikjučak: G 1/8" Težina: 0,6 kg	3165140216487	91,400.00	109,680.00
0607953340		0	x 7	<a href="http://www.boschproduktions.com/uk/kojice2?qssearch=160&amp;searchterm=0.607.953.340">http://www.boschproduktions.com/uk/kojice2?qssearch=160&amp;searchterm=0.607.953.340</a>	Motor 180 W	Snaga: 180 W Obrotni momenat: 1 Nm Broj obrtaja pri praznom hodu: 3800 min-1 Dimenzije vretena: 3/8"-24 UNF-2A Prikjučak: G 1/8" Težina: 0,6 kg	3165140216494	91,400.00	109,680.00
0607953346		0	x 6	<a href="http://www.boschproduktions.com/uk/kojice2?qssearch=160&amp;searchterm=0.607.953.346">http://www.boschproduktions.com/uk/kojice2?qssearch=160&amp;searchterm=0.607.953.346</a>	Motor 180 W	Snaga: 180 W Obrotni momenat: 4,5 Nm Broj obrtaja pri praznom hodu: 1000 min-1 Dimenzije vretena: prečnik osovine 10 h 6 Prikjučak: G 1/8" Težina: 0,7 kg	3165140216500	103,300.00	123,960.00
0607953348		0	x 6	<a href="http://www.boschproduktions.com/uk/kojice2?qssearch=160&amp;searchterm=0.607.953.348">http://www.boschproduktions.com/uk/kojice2?qssearch=160&amp;searchterm=0.607.953.348</a>	Motor 180 W	Snaga: 180 W Obrotni momenat: 1,5 Nm Broj obrtaja pri praznom hodu: 2800 min-1 Dimenzije vretena: prečnik osovine 10 h 6 Prikjučak: G 1/8" Težina: 0,6 kg	3165140216517	102,200.00	122,640.00


Asortiman motora 100 (R/L) / 120 W				Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)	
0607954304		0	x 6	<a href="http://www.boschproduktions.com/uk/kojice2?qssearch=100&amp;searchterm=0.607.954.304">http://www.boschproduktions.com/uk/kojice2?qssearch=100&amp;searchterm=0.607.954.304</a>	Motor 120 W	Snaga: 120 W Obrotni momenat: 2,1 Nm Broj obrtaja pri praznom hodu: 2200 min-1 Dimenzije vretena: 3/8"-24 UNF-2A Prikjučak: G 1/8" Težina: 0,4 kg	3165140123549	110,000.00	132,000.00
0607954305		0	x 7	<a href="http://www.boschproduktions.com/uk/kojice2?qssearch=100&amp;searchterm=0.607.954.305">http://www.boschproduktions.com/uk/kojice2?qssearch=100&amp;searchterm=0.607.954.305</a>	Motor 120 W	Snaga: 120 W Obrotni momenat: 1 Nm Broj obrtaja pri praznom hodu: 4900 min-1 Dimenzije vretena: 3/8"-24 UNF-2A Prikjučak: G 1/8" Težina: 0,3 kg	3165140123556	110,000.00	132,000.00
0607954306		0	x 6	<a href="http://www.boschproduktions.com/uk/kojice2?qssearch=100&amp;searchterm=0.607.954.306">http://www.boschproduktions.com/uk/kojice2?qssearch=100&amp;searchterm=0.607.954.306</a>	Motor 100 W	Snaga: 100 W Obrotni momenat: 2 Nm Broj obrtaja pri praznom hodu: 1850 min-1 Dimenzije vretena: 3/8"-24 UNF-2A Prikjučak: G 1/8" Težina: 0,4 kg	3165140123563	131,300.00	157,560.00
0607954307		0	x 6	<a href="http://www.boschproduktions.com/uk/kojice2?qssearch=100&amp;searchterm=0.607.954.307">http://www.boschproduktions.com/uk/kojice2?qssearch=100&amp;searchterm=0.607.954.307</a>	Motor 100 W	Snaga: 100 W Obrotni momenat: 0,9 Nm Broj obrtaja pri praznom hodu: 4100 min-1 Dimenzije vretena: 3/8"-24 UNF-2A Prikjučak: G 1/8" Težina: 0,3 kg	3165140123570	132,400.00	158,880.00


Asortiman motora 620 (R/L) / 740 W				Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)	
0607957300		0	x 6	<a href="http://www.boschproduktions.com/uk/kojice2?qssearch=620&amp;searchterm=0.607.957.300">http://www.boschproduktions.com/uk/kojice2?qssearch=620&amp;searchterm=0.607.957.300</a>	Motor 740 W	Snaga: 740 W Obrotni momenat: 36 Nm Broj obrtaja pri praznom hodu: 720 min-1 Dimenzije vretena: 1/2"-20 UNF-2A Prikjučak: G 1/4" Težina: 1,3 kg	3165140123587	134,200.00	161,040.00
0607957301		0	x 6	<a href="http://www.boschproduktions.com/uk/kojice2?qssearch=620&amp;searchterm=0.607.957.301">http://www.boschproduktions.com/uk/kojice2?qssearch=620&amp;searchterm=0.607.957.301</a>	Motor 620 W	Snaga: 620 W Obrotni momenat: 36 Nm Broj obrtaja pri praznom hodu: 610 min-1 Dimenzije vretena: 1/2"-20 UNF-2A Prikjučak: G 1/4" Težina: 1,3 kg	3165140123594	137,300.00	164,760.00
0607957305		0	x 6	<a href="http://www.boschproduktions.com/uk/kojice2?qssearch=620&amp;searchterm=0.607.957.305">http://www.boschproduktions.com/uk/kojice2?qssearch=620&amp;searchterm=0.607.957.305</a>	Motor 740 W	Snaga: 740 W Obrotni momenat: 90 Nm Broj obrtaja pri praznom hodu: 290 min-1 Dimenzije vretena: 1/2" Prikjučak: G 1/4" Težina: 2,1 kg	3165140123600	166,400.00	199,680.00
0607957306		0	x 6	<a href="http://www.boschproduktions.com/uk/kojice2?qssearch=620&amp;searchterm=0.607.957.306">http://www.boschproduktions.com/uk/kojice2?qssearch=620&amp;searchterm=0.607.957.306</a>	Motor 740 W	Snaga: 740 W Obrotni momenat: 65 Nm Broj obrtaja pri praznom hodu: 400 min-1 Dimenzije vretena: 1/2" Prikjučak: G 1/4" Težina: 2,1 kg	3165140123617	168,000.00	201,600.00


0607957307		0	x	7	<a href="http://www.boschproduktions.com/uk/bosch2-epsearch.htm?searchterm=0.607.957.307">http://www.boschproduktions.com/uk/bosch2-epsearch.htm?searchterm=0.607.957.307</a>	Motor 740 W	Snaga: 740 W Obrtni momenat: 36 Nm Broj obrtaja pri praznom hodu: 720 min-1 Dimenzije vretena: 1/2" Prikjučak: G 1/4" Težina: 1.7 kg	3165140123624	166,400.00	199,680.00
0607957314		0	x	7	<a href="http://www.boschproduktions.com/uk/bosch2-epsearch.htm?searchterm=0.607.957.314">http://www.boschproduktions.com/uk/bosch2-epsearch.htm?searchterm=0.607.957.314</a>	Motor 740 W	Snaga: 740 W Obrtni momenat: 170 Nm Broj obrtaja pri praznom hodu: 140 min-1 Dimenzije vretena: 1/2" Prikjučak: G 1/4" Težina: 2.1 kg	3165140123662	166,400.00	199,680.00
0607957315		0	x	6	<a href="http://www.boschproduktions.com/uk/bosch2-epsearch.htm?searchterm=0.607.957.315">http://www.boschproduktions.com/uk/bosch2-epsearch.htm?searchterm=0.607.957.315</a>	Motor 620 W	Snaga: 620 W Obrtni momenat: 36 Nm Broj obrtaja pri praznom hodu: 610 min-1 Dimenzije vretena: prečnik osovine 12   6 Prikjučak: G 1/4" Težina: 1.7 kg	3165140123679	176,500.00	211,800.00
0607957317		0	x	6	<a href="http://www.boschproduktions.com/uk/bosch2-epsearch.htm?searchterm=0.607.957.317">http://www.boschproduktions.com/uk/bosch2-epsearch.htm?searchterm=0.607.957.317</a>	Motor 620 W	Snaga: 620 W Obrtni momenat: 160 Nm Broj obrtaja pri praznom hodu: 120 min-1 Dimenzije vretena: 1/2" Prikjučak: G 1/4" Težina: 2.1 kg	3165140344517	176,500.00	211,800.00
0607957308		0	x	6	<a href="http://www.boschproduktions.com/uk/bosch2-epsearch.htm?searchterm=0.607.957.308">http://www.boschproduktions.com/uk/bosch2-epsearch.htm?searchterm=0.607.957.308</a>	Motor 620 W	Snaga: 620 W Obrtni momenat: 90 Nm Broj obrtaja pri praznom hodu: 250 min-1 Dimenzije vretena: 1/2" Prikjučak: G 1/4" Težina: 2.1 kg	3165140123631	176,500.00	211,800.00
0607957309		0	x	6	<a href="http://www.boschproduktions.com/uk/bosch2-epsearch.htm?searchterm=0.607.957.309">http://www.boschproduktions.com/uk/bosch2-epsearch.htm?searchterm=0.607.957.309</a>	Motor 620 W	Snaga: 620 W Obrtni momenat: 65 Nm Broj obrtaja pri praznom hodu: 340 min-1 Dimenzije vretena: 1/2" Prikjučak: G 1/4" Težina: 2.1 kg	3165140123648	176,500.00	211,800.00
0607957310		0	x	6	<a href="http://www.boschproduktions.com/uk/bosch2-epsearch.htm?searchterm=0.607.957.310">http://www.boschproduktions.com/uk/bosch2-epsearch.htm?searchterm=0.607.957.310</a>	Motor 620 W	Snaga: 620 W Obrtni momenat: 36 Nm Broj obrtaja pri praznom hodu: 610 min-1 Dimenzije vretena: 1/2" Prikjučak: G 1/4" Težina: 1.7 kg	3165140123655	176,500.00	211,800.00


## VISOKOFREKVENTNI ALATI


Katalogski broj		Proizvod na evropskom tržištu	Proizvod je poružbin	Isporučeno u sedmicama	Direktan link do proizvoda	Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)
HF - ravna brusilica HGS 55/8					Direktan link do proizvoda	Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)
0602233201		0	x	7	<a href="http://www.boschproduktionside.com/lebotools2_eu/search.html?searchItem=609233201">http://www.boschproduktionside.com/lebotools2_eu/search.html?searchItem=609233201</a>	Ravna brusilica HGS 55/8	Frekvencija: 200 Hz Napon: 265 V Snaga: 260 W Dozvoljeni prečnik brusnog kamena: 8 mm Brzina pri praznom hodu: 50.000 min-1 Sleзна čaura: 3 mm Težina: 1,7 kg	3615140280907	143,400.00	172,080.00
0602233204		0	x	7	<a href="http://www.boschproduktionside.com/lebotools2_eu/search.html?searchItem=609233204">http://www.boschproduktionside.com/lebotools2_eu/search.html?searchItem=609233204</a>	Ravna brusilica HGS 55/8	Frekvencija: 200 Hz Napon: 135 V Snaga: 260 W Dozvoljeni prečnik brusnog kamena: 8 mm Brzina pri praznom hodu: 50.000 min-1 Sleзна čaura: 3 mm Težina: 1,7 kg	3165140280914	143,400.00	172,080.00
0602233207		0	x	7	<a href="http://www.boschproduktionside.com/lebotools2_eu/search.html?searchItem=609233207">http://www.boschproduktionside.com/lebotools2_eu/search.html?searchItem=609233207</a>	Ravna brusilica HGS 55/8	Frekvencija: 200 Hz Napon: 72 V Snaga: 260 W Dozvoljeni prečnik brusnog kamena: 8 mm Brzina pri praznom hodu: 50.000 min-1 Sleзна čaura: 8 mm Težina: 1,6 kg	3165140280921	143,400.00	172,080.00
0602233304		0	x	7	<a href="http://www.boschproduktionside.com/lebotools2_eu/search.html?searchItem=609233304">http://www.boschproduktionside.com/lebotools2_eu/search.html?searchItem=609233304</a>	Ravna brusilica HGS 55/8	Frekvencija: 200 Hz Napon: 200 V Snaga: 400 W Dozvoljeni prečnik brusnog kamena: 8 mm Brzina pri praznom hodu: 50.000 min-1 Sleзна čaura: 8 mm Težina: 1,6 kg	3165140280938	143,400.00	172,080.00



Ravna brusilica HGS 55/25		Proizvod na evropskom tržištu	Proizvod je poružbin	Isporučeno u sedmicama	Direktan link do proizvoda	Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)
HF - ravna brusilica HGS 55/50					Direktan link do proizvoda	Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)
0602226201		0	x	7	<a href="http://www.boschproduktionside.com/lebotools2_eu/search.html?searchItem=609226201">http://www.boschproduktionside.com/lebotools2_eu/search.html?searchItem=609226201</a>	Ravna brusilica HGS 55/25	Frekvencija: 200 Hz Napon: 265 V Snaga: 260 W Dozvoljeni prečnik brusnog kamena: 25 mm Brzina pri praznom hodu: 30.500 min-1 Sleзна čaura: 6 mm Težina: 2,0 kg	3165140280747	113,600.00	136,320.00
0602226204		0	x	7	<a href="http://www.boschproduktionside.com/lebotools2_eu/search.html?searchItem=609226204">http://www.boschproduktionside.com/lebotools2_eu/search.html?searchItem=609226204</a>	Ravna brusilica HGS 55/25	Frekvencija: 200 Hz Napon: 135 V Snaga: 260 W Dozvoljeni prečnik brusnog kamena: 25 mm Brzina pri praznom hodu: 30.500 min-1 Sleзна čaura: 6 mm Težina: 2,0 kg	3165140280754	113,600.00	136,320.00
0602226207		0	x	7	<a href="http://www.boschproduktionside.com/lebotools2_eu/search.html?searchItem=609226207">http://www.boschproduktionside.com/lebotools2_eu/search.html?searchItem=609226207</a>	Ravna brusilica HGS 55/25	Frekvencija: 200 Hz Napon: 72 V Snaga: 260 W Dozvoljeni prečnik brusnog kamena: 25 mm Brzina pri praznom hodu: 30.500 min-1 Sleзна čaura: 6 mm Težina: 2,0 kg	3165140280761	115,300.00	138,360.00
0602227204		0	x	7	<a href="http://www.boschproduktionside.com/lebotools2_eu/search.html?searchItem=609227204">http://www.boschproduktionside.com/lebotools2_eu/search.html?searchItem=609227204</a>	Ravna brusilica HGS 55/25	Frekvencija: 300 Hz Napon: 200 V Snaga: 400 W Dozvoljeni prečnik brusnog kamena: 25 mm Brzina pri praznom hodu: 29.000 min-1 Sleзна čaura: 6 mm Težina: 2,0 kg	3165140280778	113,600.00	136,320.00


HF - ravna brusilica HGS 55/50		Proizvod na evropskom tržištu	Proizvod je poružbin	Isporučeno u sedmicama	Direktan link do proizvoda	Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)
HF - ravna brusilica HGS 55/50					Direktan link do proizvoda	Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)
0602228201		0	x	7	<a href="http://www.boschproduktionside.com/lebotools2_eu/search.html?searchItem=609228201">http://www.boschproduktionside.com/lebotools2_eu/search.html?searchItem=609228201</a>	Ravna brusilica HGS 55/50	Frekvencija: 200 Hz Napon: 265 V Snaga: 260 W Dozvoljeni prečnik brusnog kamena: 50 mm Brzina pri praznom hodu: 12.000 min-1 Sleзна čaura: 6 mm Težina: 2,1 kg	3165140280792	105,100.00	126,120.00
0602228204		0	x	7	<a href="http://www.boschproduktionside.com/lebotools2_eu/search.html?searchItem=609228204">http://www.boschproduktionside.com/lebotools2_eu/search.html?searchItem=609228204</a>	Ravna brusilica HGS 55/50	Frekvencija: 200 Hz Napon: 135 V Snaga: 260 W Dozvoljeni prečnik brusnog kamena: 50 mm Brzina pri praznom hodu: 12.000 min-1 Sleзна čaura: 6 mm Težina: 2,1 kg	3165140280808	105,100.00	126,120.00
0602228207		0	x	7	<a href="http://www.boschproduktionside.com/lebotools2_eu/search.html?searchItem=609228207">http://www.boschproduktionside.com/lebotools2_eu/search.html?searchItem=609228207</a>	Ravna brusilica HGS 55/50	Frekvencija: 200 Hz Napon: 72 V Snaga: 260 W Dozvoljeni prečnik brusnog kamena: 50 mm Brzina pri praznom hodu: 12.000 min-1 Sleзна čaura: 6 mm Težina: 1,6 kg	3165140280815	105,100.00	126,120.00
0602228234		0	0	2	<a href="http://www.boschproduktionside.com/lebotools2_eu/search.html?searchItem=609228234">http://www.boschproduktionside.com/lebotools2_eu/search.html?searchItem=609228234</a>	Ravna brusilica HGS 55/50	Frekvencija: 300 Hz Napon: 200 V Snaga: 260 W Dozvoljeni prečnik brusnog kamena: 50 mm Brzina pri praznom hodu: 18.000 min-1 Sleзна čaura: 6 mm Težina: 2,0 kg	3165140618359	105,100.00	126,120.00

HF - ravna brusilica HGS 55/50		Proizvod na evropskom tržištu	Proizvod je poružbin	Isporučeno u sedmicama	Direktan link do proizvoda	Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)
HF - ravna brusilica HGS 55/50					Direktan link do proizvoda	Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)
0602228361		0	x	7	<a href="http://www.boschproduktionside.com/lebotools2_eu/search.html?searchItem=609228361">http://www.boschproduktionside.com/lebotools2_eu/search.html?searchItem=609228361</a>	Ravna brusilica HGS 55/50	Frekvencija: 200 Hz Napon: 265 V Snaga: 260 W Dozvoljeni prečnik brusnog kamena: 50 mm Brzina pri praznom hodu: 12.000 min-1 Sleзна čaura: 6 mm Težina: 2,1 kg	3165140280839	105,100.00	126,120.00
0602228364		0	x	7	<a href="http://www.boschproduktionside.com/lebotools2_eu/search.html?searchItem=609228364">http://www.boschproduktionside.com/lebotools2_eu/search.html?searchItem=609228364</a>	Ravna brusilica HGS 55/50	Frekvencija: 200 Hz Napon: 135 V Snaga: 260 W Dozvoljeni prečnik brusnog kamena: 50 mm Brzina pri praznom hodu: 12.000 min-1 Sleзна čaura: 6 mm Težina: 2,1 kg	3165140280846	105,100.00	126,120.00
0602228384		0	0	2	<a href="http://www.boschproduktionside.com/lebotools2_eu/search.html?searchItem=609228384">http://www.boschproduktionside.com/lebotools2_eu/search.html?searchItem=609228384</a>	Ravna brusilica HGS 55/50	Frekvencija: 300 Hz Napon: 200 V Snaga: 400 W Dozvoljeni prečnik brusnog kamena: 50 mm Brzina pri praznom hodu: 12.000 min-1 Sleзна čaura: 6 mm Težina: 2,0 kg	3165140618366	105,100.00	126,120.00


HF - ravna brusilica HGS 55/50				Tehnički opis		EAN kod	VP cena (RSD)	MP cena (RSD)	
0602229101		0	x	7	<a href="http://www.boschprodstorebdo.com/lebotoc2-evsearch.html?searchItem=0.602.229.101">http://www.boschprodstorebdo.com/lebotoc2-evsearch.html?searchItem=0.602.229.101</a>	Ravna brusilica HGS 55/50	3165140280884	102,500.00	123,000.00
0602229104		0	x	7	<a href="http://www.boschprodstorebdo.com/lebotoc2-evsearch.html?searchItem=0.602.229.104">http://www.boschprodstorebdo.com/lebotoc2-evsearch.html?searchItem=0.602.229.104</a>	Ravna brusilica HGS 55/50	3165140280891	101,500.00	121,800.00
0602229134		0	0	2	<a href="http://www.boschprodstorebdo.com/lebotoc2-evsearch.html?searchItem=0.602.229.134">http://www.boschprodstorebdo.com/lebotoc2-evsearch.html?searchItem=0.602.229.134</a>	Ravna brusilica HGS 55/50	3165140618342	101,500.00	121,800.00



HF - ravna brusilica HGS 57/50 Ls				Naziv		Tehnički opis		EAN kod	VP cena (RSD)	MP cena (RSD)
0602238101		0	x	7	<a href="http://www.boschprodstorebdo.com/lebotoc2-evsearch.html?searchItem=0.602.238.101">http://www.boschprodstorebdo.com/lebotoc2-evsearch.html?searchItem=0.602.238.101</a>	Ravna brusilica HGS 57/50 Ls	3165140280983	180,100.00	216,120.00	
0602238104		0	x	7	<a href="http://www.boschprodstorebdo.com/lebotoc2-evsearch.html?searchItem=0.602.238.104">http://www.boschprodstorebdo.com/lebotoc2-evsearch.html?searchItem=0.602.238.104</a>	Ravna brusilica HGS 57/50 Ls	3165140280990	177,700.00	213,240.00	
0602238107		0	x	7	<a href="http://www.boschprodstorebdo.com/lebotoc2-evsearch.html?searchItem=0.602.238.107">http://www.boschprodstorebdo.com/lebotoc2-evsearch.html?searchItem=0.602.238.107</a>	Ravna brusilica HGS 57/50 Ls	3165140281003	177,700.00	213,240.00	
0602238134		0	x	7	<a href="http://www.boschprodstorebdo.com/lebotoc2-evsearch.html?searchItem=0.602.238.134">http://www.boschprodstorebdo.com/lebotoc2-evsearch.html?searchItem=0.602.238.134</a>	Ravna brusilica HGS 57/50 Ls	3165140281027	177,700.00	213,240.00	


HF - ravna brusilica HGS 65/32				Naziv		Tehnički opis		EAN kod	VP cena (RSD)	MP cena (RSD)
0602207401		0	x	7	<a href="http://www.boschprodstorebdo.com/lebotoc2-evsearch.html?searchItem=0.602.207.401">http://www.boschprodstorebdo.com/lebotoc2-evsearch.html?searchItem=0.602.207.401</a>	Ravna brusilica HGS 65/32	3165140575546	126,300.00	151,560.00	
0602207404		0	x	7	<a href="http://www.boschprodstorebdo.com/lebotoc2-evsearch.html?searchItem=0.602.207.404">http://www.boschprodstorebdo.com/lebotoc2-evsearch.html?searchItem=0.602.207.404</a>	Ravna brusilica HGS 65/32	3165140575638	126,300.00	151,560.00	
0602207407		0	x	7	<a href="http://www.boschprodstorebdo.com/lebotoc2-evsearch.html?searchItem=0.602.207.407">http://www.boschprodstorebdo.com/lebotoc2-evsearch.html?searchItem=0.602.207.407</a>	Ravna brusilica HGS 65/32	3165140575645	124,500.00	149,400.00	
0602208404		0	x	7	<a href="http://www.boschprodstorebdo.com/lebotoc2-evsearch.html?searchItem=0.602.208.404">http://www.boschprodstorebdo.com/lebotoc2-evsearch.html?searchItem=0.602.208.404</a>	Ravna brusilica HGS 65/32	3165140575652	130,000.00	156,000.00	
0602208434		0	x	7	<a href="http://www.boschprodstorebdo.com/lebotoc2-evsearch.html?searchItem=0.602.208.434">http://www.boschprodstorebdo.com/lebotoc2-evsearch.html?searchItem=0.602.208.434</a>	Ravna brusilica HGS 65/32	3165140575669	128,900.00	154,680.00	


HF - ravna brusilica HGS 65/50				Naziv		Tehnički opis		EAN kod	VP cena (RSD)	MP cena (RSD)
0602209401		0	x	7		Ravna brusilica HGS 65/50	3165140575799	108,800.00	130,560.00	
0602209404		0	x	7	<a href="http://www.boschprodstorebdo.com/lebotoc2-evsearch.html?searchItem=0.602.209.404">http://www.boschprodstorebdo.com/lebotoc2-evsearch.html?searchItem=0.602.209.404</a>	Ravna brusilica HGS 65/50	3165140575812	108,800.00	130,560.00	
0602209407		0	x	7	<a href="http://www.boschprodstorebdo.com/lebotoc2-evsearch.html?searchItem=0.602.209.407">http://www.boschprodstorebdo.com/lebotoc2-evsearch.html?searchItem=0.602.209.407</a>	Ravna brusilica HGS 65/50	3165140575829	108,800.00	130,560.00	
0602209411		0	x	7	<a href="http://www.boschprodstorebdo.com/lebotoc2-evsearch.html?searchItem=0.602.209.411">http://www.boschprodstorebdo.com/lebotoc2-evsearch.html?searchItem=0.602.209.411</a>	Ravna brusilica HGS 65/50	3165140575836	101,500.00	121,800.00	





0602209434		x	0	2	<a href="http://www.boschprodstorebdo.com/boschprodstorebdo?searchItem?searchItem=602209434">http://www.boschprodstorebdo.com/boschprodstorebdo?searchItem?searchItem=602209434</a>	Ravna brusilica HGS 65/50	Frekvencija: 300 Hz Napon: 200 V Snaga: 900 W Dozvojeni prečnik brusnog kamena: 50 mm Brzina pri praznom hodu: 18.000 min-1 Sleзна čaura: 6 mm Težina: 2,9 kg	3165140575843	115.600,00	138.720,00
0602210401		0	x	7	<a href="http://www.boschprodstorebdo.com/boschprodstorebdo?searchItem?searchItem=602210401">http://www.boschprodstorebdo.com/boschprodstorebdo?searchItem?searchItem=602210401</a>	Ravna brusilica HGS 65/50	Frekvencija: 200 Hz Napon: 265 V Snaga: 600 W Dozvojeni prečnik brusnog kamena: 50 mm Brzina pri praznom hodu: 3.100 min-1 Sleзна čaura: 6 mm Težina: 2,8 kg	3165140575850	131.200,00	157.440,00
0602210404		0	x	7	<a href="http://www.boschprodstorebdo.com/boschprodstorebdo?searchItem?searchItem=602210404">http://www.boschprodstorebdo.com/boschprodstorebdo?searchItem?searchItem=602210404</a>	Ravna brusilica HGS 65/50	Frekvencija: 200 Hz Napon: 135 V Snaga: 600 W Dozvojeni prečnik brusnog kamena: 50 mm Brzina pri praznom hodu: 3.100 min-1 Sleзна čaura: 6 mm Težina: 2,8 kg	3165140575867	131.200,00	157.440,00
0602210434		0	x	7	<a href="http://www.boschprodstorebdo.com/boschprodstorebdo?searchItem?searchItem=602210434">http://www.boschprodstorebdo.com/boschprodstorebdo?searchItem?searchItem=602210434</a>	Ravna brusilica HGS 65/50	Frekvencija: 300 Hz Napon: 200 V Snaga: 900 W Dozvojeni prečnik brusnog kamena: 50 mm Brzina pri praznom hodu: 4.700 min-1 Sleзна čaura: 6 mm Težina: 2,8 kg	3165140575874	129.300,00	155.160,00


HF - ravna brusilica HGS 77/50		Naziv				Tehnički opis		EAN kod	VP cena (RSD)	MP cena (RSD)
0602211401		0	0	2	<a href="http://www.boschprodstorebdo.com/boschprodstorebdo?searchItem?searchItem=602211401">http://www.boschprodstorebdo.com/boschprodstorebdo?searchItem?searchItem=602211401</a>	Ravna brusilica HGS 77/50	Frekvencija: 200 Hz Napon: 265 V Snaga: 950 W Dozvojeni prečnik brusnog kamena: 50 mm Brzina pri praznom hodu: 12.000 min-1 Sleзна čaura: 8 mm Težina: 5,4 kg	3165140572064	122.800,00	147.360,00
0602211404		0	0	2	<a href="http://www.boschprodstorebdo.com/boschprodstorebdo?searchItem?searchItem=602211404">http://www.boschprodstorebdo.com/boschprodstorebdo?searchItem?searchItem=602211404</a>	Ravna brusilica HGS 77/50	Frekvencija: 200 Hz Napon: 135 V Snaga: 950 W Dozvojeni prečnik brusnog kamena: 50 mm Brzina pri praznom hodu: 12.000 min-1 Sleзна čaura: 8 mm Težina: 5,4 kg	3165140572071	115.600,00	138.720,00
0602211407		0	0	2	<a href="http://www.boschprodstorebdo.com/boschprodstorebdo?searchItem?searchItem=602211407">http://www.boschprodstorebdo.com/boschprodstorebdo?searchItem?searchItem=602211407</a>	Ravna brusilica HGS 77/50	Frekvencija: 200 Hz Napon: 72 V Snaga: 950 W Dozvojeni prečnik brusnog kamena: 50 mm Brzina pri praznom hodu: 12.000 min-1 Sleзна čaura: 8 mm Težina: 5,4 kg	3165140572088	115.600,00	138.720,00
0602211434		x	0	2	<a href="http://www.boschprodstorebdo.com/boschprodstorebdo?searchItem?searchItem=602211434">http://www.boschprodstorebdo.com/boschprodstorebdo?searchItem?searchItem=602211434</a>	Ravna brusilica HGS 77/50	Frekvencija: 300 Hz Napon: 200 V Snaga: 1.450 W Dozvojeni prečnik brusnog kamena: 50 mm Brzina pri praznom hodu: 18.000 min-1 Sleзна čaura: 8 mm Težina: 5,4 kg	3165140572095	115.600,00	138.720,00
0602211411		0	0	2	<a href="http://www.boschprodstorebdo.com/boschprodstorebdo?searchItem?searchItem=602211411">http://www.boschprodstorebdo.com/boschprodstorebdo?searchItem?searchItem=602211411</a>	Ravna brusilica HGS 77/50	Frekvencija: 300 Hz Napon: 72 V Snaga: 1.450 W Dozvojeni prečnik brusnog kamena: 50 mm Brzina pri praznom hodu: 18.000 min-1 Sleзна čaura: 8 mm Težina: 5,4 kg	3165140572101	115.600,00	138.720,00


HF - ravna brusilica HGS 85/40		Naziv				Tehnički opis		EAN kod	VP cena (RSD)	MP cena (RSD)
0602245034		0	x	7	<a href="http://www.boschprodstorebdo.com/boschprodstorebdo?searchItem?searchItem=602245034">http://www.boschprodstorebdo.com/boschprodstorebdo?searchItem?searchItem=602245034</a>	Ravna brusilica HGS 85/40	Frekvencija: 300 Hz Napon: 200 V Snaga: 1.800 W Dozvojeni prečnik brusnog kamena: 40 mm Brzina pri praznom hodu: 18.000 min-1 Vreteno: M14 Težina: 4,8 kg	3165140281188	179.700,00	215.640,00
0602245011		0	x	7	<a href="http://www.boschprodstorebdo.com/boschprodstorebdo?searchItem?searchItem=602245011">http://www.boschprodstorebdo.com/boschprodstorebdo?searchItem?searchItem=602245011</a>	Ravna brusilica HGS 85/40	Frekvencija: 300 Hz Napon: 72 V Snaga: 1.800 W Dozvojeni prečnik brusnog kamena: 40 mm Brzina pri praznom hodu: 18.000 min-1 Vreteno: M14 Težina: 4,8 kg	3165140281188	136.800,00	164.160,00


HF - ravna brusilica HGS 77/75				Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)		
0602211501		0	0	2	<a href="http://www.boschproduktionsbode.com/infocsc2_eu/search.html?searchItem=602_211_801">http://www.boschproduktionsbode.com/infocsc2_eu/search.html?searchItem=602_211_801</a>	Ravna brusilica HGS 77/75	Frekvencija: 200 Hz Napon: 265 V Snaga: 950 W Dozvoljeni prečnik brusnog kamena: 75 mm Brzina pri praznom hodu: 12.000 min-1 Stezna priрубnica: M14 Težina: 4,9 kg	3165140572255	171.000,00	205.200,00
0602211504		0	0	2	<a href="http://www.boschproduktionsbode.com/infocsc2_eu/search.html?searchItem=602_211_804">http://www.boschproduktionsbode.com/infocsc2_eu/search.html?searchItem=602_211_804</a>	Ravna brusilica HGS 77/75	Frekvencija: 200 Hz Napon: 135 V Snaga: 950 W Dozvoljeni prečnik brusnog kamena: 45 m/s mm Brzina pri praznom hodu: 12.000 min-1 Stezna priрубnica: M14 Težina: 4,9 kg	3165140572262	171.000,00	205.200,00
0602211507		0	0	2	<a href="http://www.boschproduktionsbode.com/infocsc2_eu/search.html?searchItem=602_211_807">http://www.boschproduktionsbode.com/infocsc2_eu/search.html?searchItem=602_211_807</a>	Ravna brusilica HGS 77/75	Frekvencija: 200 Hz Napon: 72 V Snaga: 950 W Brzina pri praznom hodu: 12.000 min-1 Stezna priрубnica: M14 Težina: 4,9 kg	3165140572279	168.800,00	202.560,00
0602211534		0	0	2	<a href="http://www.boschproduktionsbode.com/infocsc2_eu/search.html?searchItem=602_211_834">http://www.boschproduktionsbode.com/infocsc2_eu/search.html?searchItem=602_211_834</a>	Ravna brusilica HGS 77/75	Frekvencija: 300 Hz Napon: 200 V Snaga: 1450 W Dozvoljeni prečnik brusnog kamena: 50 mm Brzina pri praznom hodu: 18.000 min-1 Stezna priрубnica: M14 Težina: 4,9 kg	3165140572286	168.800,00	202.560,00



HF - ravna brusilica HGS 85/80				Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)		
0602243134		0	x	7	<a href="http://www.boschproduktionsbode.com/infocsc2_eu/search.html?searchItem=602_243_134">http://www.boschproduktionsbode.com/infocsc2_eu/search.html?searchItem=602_243_134</a>	Ravna brusilica HGS 85/80	Frekvencija: 300 Hz Napon: 200 V Snaga: 1800 W Dozvoljeni prečnik brusnog kamena: 80 mm Brzina pri praznom hodu: 10.700 min-1 Stezna priрубnica: M14 Težina: 6,0 kg	3165140281164	201.000,00	241.200,00


HF - ravna brusilica HGS 77/100				Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)		
0602212401		0	0	2	<a href="http://www.boschproduktionsbode.com/infocsc2_eu/search.html?searchItem=602_212_401">http://www.boschproduktionsbode.com/infocsc2_eu/search.html?searchItem=602_212_401</a>	Ravna brusilica HGS 77/100	Frekvencija: 200 Hz Napon: 265 V Snaga: 950 W Dozvoljeni prečnik brusnog kamena: 100 mm Brzina pri praznom hodu: 9.000 min-1 Stezna priрубnica: M14 Težina: 5,5 kg	3165140571883	200.700,00	240.840,00
0602212404		0	0	2	<a href="http://www.boschproduktionsbode.com/infocsc2_eu/search.html?searchItem=602_212_404">http://www.boschproduktionsbode.com/infocsc2_eu/search.html?searchItem=602_212_404</a>	Ravna brusilica HGS 77/100	Frekvencija: 200 Hz Napon: 135 V Snaga: 950 W Dozvoljeni prečnik brusnog kamena: 100 mm Brzina pri praznom hodu: 9.000 min-1 Stezna priрубnica: M14 Težina: 5,5 kg	3165140571890	198.300,00	237.960,00
0602212407		0	0	2	<a href="http://www.boschproduktionsbode.com/infocsc2_eu/search.html?searchItem=602_212_407">http://www.boschproduktionsbode.com/infocsc2_eu/search.html?searchItem=602_212_407</a>	Ravna brusilica HGS 77/100	Frekvencija: 200 Hz Napon: 72 V Snaga: 950 W Dozvoljeni prečnik brusnog kamena: 100 mm Brzina pri praznom hodu: 9.000 min-1 Stezna priрубnica: M14 Težina: 5,5 kg	3165140571906	198.300,00	237.960,00


HF - ravna brusilica HGS 85/100				Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)		
0602242101		0	x	7	<a href="http://www.boschproduktionsbode.com/infocsc2_eu/search.html?searchItem=602_242_101">http://www.boschproduktionsbode.com/infocsc2_eu/search.html?searchItem=602_242_101</a>	Ravna brusilica HGS 85/100	Frekvencija: 200 Hz Napon: 265 V Snaga: 1200 W Dozvoljeni prečnik brusnog kamena: 100 mm Brzina pri praznom hodu: 8.600 min-1 Stezna priрубnica: M14 Težina: 5,0 kg	3165140281119	201.000,00	241.200,00
0602242104		0	x	7	<a href="http://www.boschproduktionsbode.com/infocsc2_eu/search.html?searchItem=602_242_104">http://www.boschproduktionsbode.com/infocsc2_eu/search.html?searchItem=602_242_104</a>	Ravna brusilica HGS 85/100	Frekvencija: 200 Hz Napon: 135 V Snaga: 1200 W Dozvoljeni prečnik brusnog kamena: 100 mm Brzina pri praznom hodu: 8.600 min-1 Stezna priрубnica: M14 Težina: 5,0 kg	3165140281126	201.000,00	241.200,00
0602242107		0	x	7	<a href="http://www.boschproduktionsbode.com/infocsc2_eu/search.html?searchItem=602_242_107">http://www.boschproduktionsbode.com/infocsc2_eu/search.html?searchItem=602_242_107</a>	Ravna brusilica HGS 85/100	Frekvencija: 200 Hz Napon: 72 V Snaga: 1200 W Dozvoljeni prečnik brusnog kamena: 100 mm Brzina pri praznom hodu: 8.600 min-1 Stezna priрубnica: M14 Težina: 5,0 kg	3165140281133	201.000,00	241.200,00
0602242134		0	x	7	<a href="http://www.boschproduktionsbode.com/infocsc2_eu/search.html?searchItem=602_242_134">http://www.boschproduktionsbode.com/infocsc2_eu/search.html?searchItem=602_242_134</a>	Ravna brusilica HGS 85/100	Frekvencija: 300 Hz Napon: 200 V Snaga: 1800 W Dozvoljeni prečnik brusnog kamena: 100 mm Brzina pri praznom hodu: 8.600 min-1 Stezna priрубnica: M14 Težina: 5,0 kg	3165140281140	179.700,00	215.640,00
0602242234		0	x	7	<a href="http://www.boschproduktionsbode.com/infocsc2_eu/search.html?searchItem=602_242_234">http://www.boschproduktionsbode.com/infocsc2_eu/search.html?searchItem=602_242_234</a>	Ravna brusilica HGS 85/100	Frekvencija: 300 Hz Napon: 200 V Snaga: 1800 W Dozvoljeni prečnik brusnog kamena: 125 mm Brzina pri praznom hodu: 6.800 min-1 Stezna priрубnica: M14 Težina: 6,3 kg	3165140427036	179.700,00	215.640,00


HF - ravna brusilica HGS 77/125				Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)		
0602213434		0	0	2	<a href="http://www.boschproduktionsbode.com/infocsc2_eu/search.html?searchItem=602_213_434">http://www.boschproduktionsbode.com/infocsc2_eu/search.html?searchItem=602_213_434</a>	Ravna brusilica HGS 77/125	Frekvencija: 300 Hz Napon: 200 V Snaga: 1450 W Dozvoljeni prečnik brusnog kamena: 125 mm Brzina pri praznom hodu: 6.800 min-1 Stezna priрубnica: M14 Težina: 5,8 kg	3165140571852	159.800,00	191.760,00


HF - ravna brusilica HGS 88/150				Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)		
0602240104		0	x	7	<a href="http://www.boschproduktorbote.com/lebotoc2-episearch.html?searchterm=0607249104">http://www.boschproduktorbote.com/lebotoc2-episearch.html?searchterm=0607249104</a>	Ravna brusilica HGS 88/150	Frekvencija: 200 Hz Napon: 135 V Snaga: 1950 W Dozvoljeni prečnik brusnog kamena: 150 mm Brzina pri praznom hodu: 5.700 min-1 Stezna priрубica: M14 Težina: 8,4 kg	3165140281089	193.500,00	232.200,00
0602240107		0	x	7	<a href="http://www.boschproduktorbote.com/lebotoc2-episearch.html?searchterm=0607249107">http://www.boschproduktorbote.com/lebotoc2-episearch.html?searchterm=0607249107</a>	Ravna brusilica HGS 88/150	Frekvencija: 200 Hz Napon: 72 V Snaga: 1950 W Dozvoljeni prečnik brusnog kamena: 150 mm Brzina pri praznom hodu: 5.700 min-1 Stezna priрубica: M14 Težina: 8,4 kg	3165140281096	193.500,00	232.200,00
0602240134		0	x	7	<a href="http://www.boschproduktorbote.com/lebotoc2-episearch.html?searchterm=0607249134">http://www.boschproduktorbote.com/lebotoc2-episearch.html?searchterm=0607249134</a>	Ravna brusilica HGS 88/150	Frekvencija: 300 Hz Napon: 200 V Snaga: 2900 W Dozvoljeni prečnik brusnog kamena: 150 mm Brzina pri praznom hodu: 5.700 min-1 Stezna priрубica: M14 Težina: 8,4 kg	3165140281102	185.000,00	222.000,00


HF - ugaona brusilica HWS 5265/125				Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)		
0602324401		0	0	2	<a href="http://www.boschproduktorbote.com/lebotoc2-episearch.html?searchterm=0607324401">http://www.boschproduktorbote.com/lebotoc2-episearch.html?searchterm=0607324401</a>	Ugaona brusilica HWS 5265/125	Frekvencija: 200 Hz Napon: 265 V Snaga: 520 W Dozvoljeni prečnik brusnog diska: 125 mm Brzina pri praznom hodu: 4.800 min-1 Stezna priрубica: M14 Težina: 2,3 kg	3165140558631	82.900,00	99.480,00
0602324404		0	0	2	<a href="http://www.boschproduktorbote.com/lebotoc2-episearch.html?searchterm=0607324404">http://www.boschproduktorbote.com/lebotoc2-episearch.html?searchterm=0607324404</a>	Ugaona brusilica HWS 5265/125	Frekvencija: 200 Hz Napon: 135 V Snaga: 520 W Dozvoljeni prečnik brusnog diska: 125 mm Brzina pri praznom hodu: 4.800 min-1 Stezna priрубica: M14 Težina: 2,3 kg	3165140558648	82.900,00	99.480,00
0602324407		0	0	2	<a href="http://www.boschproduktorbote.com/lebotoc2-episearch.html?searchterm=0607324407">http://www.boschproduktorbote.com/lebotoc2-episearch.html?searchterm=0607324407</a>	Ugaona brusilica HWS 5265/125	Frekvencija: 200 Hz Napon: 72 V Snaga: 520 W Dozvoljeni prečnik brusnog diska: 125 mm Brzina pri praznom hodu: 4.800 min-1 Stezna priрубica: M14 Težina: 2,3 kg	3165140558655	82.900,00	99.480,00
0602324434		0	0	2	<a href="http://www.boschproduktorbote.com/lebotoc2-episearch.html?searchterm=0607324434">http://www.boschproduktorbote.com/lebotoc2-episearch.html?searchterm=0607324434</a>	Ugaona brusilica HWS 5265/125	Frekvencija: 300 Hz Napon: 200 V Snaga: 800 W Dozvoljeni prečnik brusnog diska: 125 mm Brzina pri praznom hodu: 7.300 min-1 Stezna priрубica: M14 Težina: 2,5 kg	3165140558662	82.900,00	99.480,00
0602324441		0	0	2	<a href="http://www.boschproduktorbote.com/lebotoc2-episearch.html?searchterm=0607324441">http://www.boschproduktorbote.com/lebotoc2-episearch.html?searchterm=0607324441</a>	Ugaona brusilica HWS 5265/125	Frekvencija: 200 Hz Napon: 265 V Snaga: 520 W Dozvoljeni prečnik brusnog diska: 125 mm Brzina pri praznom hodu: 5.800 min-1 Stezna priрубica: M14 Težina: 2,5 kg	3165140558679	82.900,00	99.480,00
0602324444		0	0	2	<a href="http://www.boschproduktorbote.com/lebotoc2-episearch.html?searchterm=0607324444">http://www.boschproduktorbote.com/lebotoc2-episearch.html?searchterm=0607324444</a>	Ugaona brusilica HWS 5265/125	Frekvencija: 200 Hz Napon: 135 V Snaga: 520 W Dozvoljeni prečnik brusnog diska: 125 mm Brzina pri praznom hodu: 5.800 min-1 Stezna priрубica: M14 Težina: 2,5 kg	3165140558686	82.900,00	99.480,00
0602324447		0	0	2	<a href="http://www.boschproduktorbote.com/lebotoc2-episearch.html?searchterm=0607324447">http://www.boschproduktorbote.com/lebotoc2-episearch.html?searchterm=0607324447</a>	Ugaona brusilica HWS 5265/125	Frekvencija: 200 Hz Napon: 72 V Snaga: 520 W Dozvoljeni prečnik brusnog diska: 125 mm Brzina pri praznom hodu: 5.800 min-1 Stezna priрубica: M14 Težina: 2,5 kg	3165140558693	82.900,00	99.480,00
0602324464		#N/A	#N/A	#N/A	<a href="http://www.boschproduktorbote.com/lebotoc2-episearch.html?searchterm=0607324464">http://www.boschproduktorbote.com/lebotoc2-episearch.html?searchterm=0607324464</a>	Ugaona brusilica HWS 5265/125	Frekvencija: 200 Hz Napon: 135 V Snaga: 520 W Dozvoljeni prečnik brusnog diska: 125 mm Brzina pri praznom hodu: 5.800 min-1 Stezna priрубica: M14 Težina: 2,5 kg	3165140558709	100.500,00	120.600,00
0602324474		0	0	2	<a href="http://www.boschproduktorbote.com/lebotoc2-episearch.html?searchterm=0607324474">http://www.boschproduktorbote.com/lebotoc2-episearch.html?searchterm=0607324474</a>	Ugaona brusilica HWS 5265/125	Frekvencija: 200 Hz Napon: 135 V Snaga: 520 W Dozvoljeni prečnik brusnog diska: 125 mm Brzina pri praznom hodu: 6.800 min-1 Stezna priрубica: M14 Težina: 2,5 kg	3165140558716	99.100,00	118.920,00


HF - ugaona brusilica HWS 65/125				Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)		
0602301401		0	0	2	<a href="http://www.boschproduktorbote.com/lebotoc2-episearch.html?searchterm=0607301401">http://www.boschproduktorbote.com/lebotoc2-episearch.html?searchterm=0607301401</a>	Ugaona brusilica HWS 65/125	Frekvencija: 200 Hz Napon: 265 V Snaga: 600 W Dozvoljeni prečnik brusnog diska: 125 mm Brzina pri praznom hodu: 4.100 min-1 Stezna priрубica: M14 Težina: 3,2 kg	3165140563086	131.300,00	157.560,00
0602301404		0	0	2	<a href="http://www.boschproduktorbote.com/lebotoc2-episearch.html?searchterm=0607301404">http://www.boschproduktorbote.com/lebotoc2-episearch.html?searchterm=0607301404</a>	Ugaona brusilica HWS 65/125	Frekvencija: 200 Hz Napon: 135 V Snaga: 600 W Dozvoljeni prečnik brusnog diska: 125 mm Brzina pri praznom hodu: 4.100 min-1 Stezna priрубica: M14 Težina: 3,2 kg	3165140533093	131.300,00	157.560,00
0602301434		0	0	2	<a href="http://www.boschproduktorbote.com/lebotoc2-episearch.html?searchterm=0607301434">http://www.boschproduktorbote.com/lebotoc2-episearch.html?searchterm=0607301434</a>	Ugaona brusilica HWS 65/125	Frekvencija: 300 Hz Napon: 200 V Snaga: 900 W Dozvoljeni prečnik brusnog diska: 125 mm Brzina pri praznom hodu: 6.150 min-1 Stezna priрубica: M14 Težina: 3,2 kg	3165140563116	131.300,00	157.560,00
0602327401		0	0	2	<a href="http://www.boschproduktorbote.com/lebotoc2-episearch.html?searchterm=0607327401">http://www.boschproduktorbote.com/lebotoc2-episearch.html?searchterm=0607327401</a>	Ugaona brusilica HWS 65/125	Frekvencija: 200 Hz Napon: 265 V Snaga: 600 W Dozvoljeni prečnik brusnog diska: 120 mm Brzina pri praznom hodu: 2.550 min-1 Stezna priрубica: M14 Težina: 3,2 kg	3165140563123	139.900,00	167.880,00


HF - ugaona brusilica HWS 77/175				Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)	
0602305401		0	0	2	<a href="http://www.boschproduktionscode.com/lebotecna2-epi/search.htm?searchterm=0.602.106.401">http://www.boschproduktionscode.com/lebotecna2-epi/search.htm?searchterm=0.602.106.401</a>	Ugaona brusilica HWS 77/175	3165140571333	140,200.00	168,240.00
0602305404		0	0	2	<a href="http://www.boschproduktionscode.com/lebotecna2-epi/search.htm?searchterm=0.602.106.404">http://www.boschproduktionscode.com/lebotecna2-epi/search.htm?searchterm=0.602.106.404</a>	Ugaona brusilica HWS 77/175	3165140571340	140,200.00	168,240.00
0602305407		0	0	2	<a href="http://www.boschproduktionscode.com/lebotecna2-epi/search.htm?searchterm=0.602.106.407">http://www.boschproduktionscode.com/lebotecna2-epi/search.htm?searchterm=0.602.106.407</a>	Ugaona brusilica HWS 77/175	3165140571357	141,900.00	170,280.00
0602306434		0	0	2	<a href="http://www.boschproduktionscode.com/lebotecna2-epi/search.htm?searchterm=0.602.106.434">http://www.boschproduktionscode.com/lebotecna2-epi/search.htm?searchterm=0.602.106.434</a>	Ugaona brusilica HWS 77/175	3165140571364	149,400.00	179,280.00



HF - ugaona brusilica HWS 77/180				Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)	
0602304401		0	0	2	<a href="http://www.boschproduktionscode.com/lebotecna2-epi/search.htm?searchterm=0.602.104.401">http://www.boschproduktionscode.com/lebotecna2-epi/search.htm?searchterm=0.602.104.401</a>	Ugaona brusilica HWS 77/180	3165140571180	135,200.00	162,240.00
0602304404		0	0	2	<a href="http://www.boschproduktionscode.com/lebotecna2-epi/search.htm?searchterm=0.602.104.404">http://www.boschproduktionscode.com/lebotecna2-epi/searchterm=0.602.104.404</a>	Ugaona brusilica HWS 77/180	3165140571197	154,300.00	185,160.00
0602304407		0	0	2	<a href="http://www.boschproduktionscode.com/lebotecna2-epi/search.htm?searchterm=0.602.104.407">http://www.boschproduktionscode.com/lebotecna2-epi/searchterm=0.602.104.407</a>	Ugaona brusilica HWS 77/180	3165140571203	133,700.00	160,440.00


HF - ugaona brusilica HWS 85/180				Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)	
0602329501		0	x	7	<a href="http://www.boschproduktionscode.com/lebotecna2-epi/search.htm?searchterm=0.602.109.401">http://www.boschproduktionscode.com/lebotecna2-epi/search.htm?searchterm=0.602.109.401</a>	Ugaona brusilica HWS 85/180	3165140617192	138,500.00	166,200.00
0602329504		0	x	7	<a href="http://www.boschproduktionscode.com/lebotecna2-epi/search.htm?searchterm=0.602.109.404">http://www.boschproduktionscode.com/lebotecna2-epi/searchterm=0.602.109.404</a>	Ugaona brusilica HWS 85/180	3165140617208	140,600.00	168,720.00
0602329507		0	x	7	<a href="http://www.boschproduktionscode.com/lebotecna2-epi/search.htm?searchterm=0.602.109.407">http://www.boschproduktionscode.com/lebotecna2-epi/searchterm=0.602.109.407</a>	Ugaona brusilica HWS 85/180	3165140617215	140,600.00	168,720.00
0602329511		0	x	7	<a href="http://www.boschproduktionscode.com/lebotecna2-epi/search.htm?searchterm=0.602.109.411">http://www.boschproduktionscode.com/lebotecna2-epi/searchterm=0.602.109.411</a>	Ugaona brusilica HWS 85/180	3165140617222	137,800.00	165,360.00
0602329534		x	0	2	<a href="http://www.boschproduktionscode.com/lebotecna2-epi/search.htm?searchterm=0.602.109.434">http://www.boschproduktionscode.com/lebotecna2-epi/searchterm=0.602.109.434</a>	Ugaona brusilica HWS 85/180	3165140617239	136,100.00	163,320.00

HF - ugaona brusilica HWS 88/180				Naziv	Tehnički opis	EAN kod	VP cena (RSD)	MP cena (RSD)	
0602331501		0	x	7	<a href="http://www.boschproduktionscode.com/lebotecna2-epi/search.htm?searchterm=0.602.111.401">http://www.boschproduktionscode.com/lebotecna2-epi/searchterm=0.602.111.401</a>	Ugaona brusilica HWS 88/180	3165140617246	134,900.00	161,880.00
0602331504		0	x	7	<a href="http://www.boschproduktionscode.com/lebotecna2-epi/search.htm?searchterm=0.602.111.404">http://www.boschproduktionscode.com/lebotecna2-epi/searchterm=0.602.111.404</a>	Ugaona brusilica HWS 88/180	3165140617253	134,900.00	161,880.00

0602331507		0	x	7	<a href="http://www.boschproduktoribode.com/lebobocic2_ejsearch.html?searchItem=0602331507">http://www.boschproduktoribode.com/lebobocic2_ejsearch.html?searchItem=0602331507</a>	Ugaona brusilica HWS 88/180	Frekvencija: 200 Hz Napon: 72 V Snaga: 1950 W Dozvoljeni prečnik brusnog diska: 180 mm Brzina pri praznom hodu: 8.500 min-1 Stezna priрубica: M14 Težina: 7,0 kg	3165140617260	134.900,00	161.880,00
0602331534		x	0	2	<a href="http://www.boschproduktoribode.com/lebobocic2_ejsearch.html?searchItem=0602331534">http://www.boschproduktoribode.com/lebobocic2_ejsearch.html?searchItem=0602331534</a>	Ugaona brusilica HWS 88/180	Frekvencija: 300 Hz Napon: 200 V Snaga: 2900 W Dozvoljeni prečnik brusnog diska: 180 mm Brzina pri praznom hodu: 8.500 min-1 Stezna priрубica: M14 Težina: 7,0 kg	3165140617277	134.900,00	161.880,00

HF - ugaona brusilica HWS 88/230										
		Naziv				Tehnički opis		EAN kod	VP cena (RSD)	MP cena (RSD)
0602332501		0	x	7	<a href="http://www.boschproduktoribode.com/lebobocic2_ejsearch.html?searchItem=0602332501">http://www.boschproduktoribode.com/lebobocic2_ejsearch.html?searchItem=0602332501</a>	Ugaona brusilica HWS 88/230	Frekvencija: 200 Hz Napon: 265 V Snaga: 1950 W Dozvoljeni prečnik brusnog diska: 230 mm Brzina pri praznom hodu: 6.600 min-1 Stezna priрубica: M14 Težina: 7,1 kg	3165140617284	134.900,00	161.880,00
0602332504		0	x	7	<a href="http://www.boschproduktoribode.com/lebobocic2_ejsearch.html?searchItem=0602332504">http://www.boschproduktoribode.com/lebobocic2_ejsearch.html?searchItem=0602332504</a>	Ugaona brusilica HWS 88/230	Frekvencija: 200 Hz Napon: 135 V Snaga: 1950 W Dozvoljeni prečnik brusnog diska: 230 mm Brzina pri praznom hodu: 6.600 min-1 Stezna priрубica: M14 Težina: 7,1 kg	3165140617291	134.900,00	161.880,00
0602332507		0	x	7	<a href="http://www.boschproduktoribode.com/lebobocic2_ejsearch.html?searchItem=0602332507">http://www.boschproduktoribode.com/lebobocic2_ejsearch.html?searchItem=0602332507</a>	Ugaona brusilica HWS 88/230	Frekvencija: 200 Hz Napon: 72 V Snaga: 1950 W Dozvoljeni prečnik brusnog diska: 230 mm Brzina pri praznom hodu: 6.600 min-1 Stezna priрубica: M14 Težina: 7,1 kg	3165140617307	134.900,00	161.880,00
0602332511		0	x	7	<a href="http://www.boschproduktoribode.com/lebobocic2_ejsearch.html?searchItem=0602332511">http://www.boschproduktoribode.com/lebobocic2_ejsearch.html?searchItem=0602332511</a>	Ugaona brusilica HWS 88/230	Frekvencija: 300 Hz Napon: 72 V Snaga: 2900 W Dozvoljeni prečnik brusnog diska: 230 mm Brzina pri praznom hodu: 6.600 min-1 Stezna priрубica: M14 Težina: 7,1 kg	3165140617314	134.900,00	161.880,00
0602332534		x	0	2	<a href="http://www.boschproduktoribode.com/lebobocic2_ejsearch.html?searchItem=0602332534">http://www.boschproduktoribode.com/lebobocic2_ejsearch.html?searchItem=0602332534</a>	Ugaona brusilica HWS 88/230	Frekvencija: 300 Hz Napon: 200 V Snaga: 2900 W Dozvoljeni prečnik brusnog diska: 230 mm Brzina pri praznom hodu: 6.600 min-1 Stezna priрубica: M14 Težina: 7,0 kg	3165140617321	134.900,00	161.880,00

HF - ugaona brusilica HWS 810/230										
		Naziv				Tehnički opis		EAN kod	VP cena (RSD)	MP cena (RSD)
0602334501		0	x	7	<a href="http://www.boschproduktoribode.com/lebobocic2_ejsearch.html?searchItem=0602334501">http://www.boschproduktoribode.com/lebobocic2_ejsearch.html?searchItem=0602334501</a>	Ugaona brusilica HWS 810/230	Frekvencija: 200 Hz Napon: 265 V Snaga: 2500 W Dozvoljeni prečnik brusnog diska: 230 mm Brzina pri praznom hodu: 6.600 min-1 Stezna priрубica: M14 Težina: 7,8 kg	3165140617338	201.500,00	241.800,00
0602334504		0	x	7	<a href="http://www.boschproduktoribode.com/lebobocic2_ejsearch.html?searchItem=0602334504">http://www.boschproduktoribode.com/lebobocic2_ejsearch.html?searchItem=0602334504</a>	Ugaona brusilica HWS 810/230	Frekvencija: 200 Hz Napon: 135 V Snaga: 2500 W Dozvoljeni prečnik brusnog diska: 230 mm Brzina pri praznom hodu: 6.600 min-1 Stezna priрубica: M14 Težina: 7,8 kg	3165140617345	201.500,00	241.800,00
0602334507		0	x	7	<a href="http://www.boschproduktoribode.com/lebobocic2_ejsearch.html?searchItem=0602334507">http://www.boschproduktoribode.com/lebobocic2_ejsearch.html?searchItem=0602334507</a>	Ugaona brusilica HWS 810/230	Frekvencija: 200 Hz Napon: 72 V Snaga: 2500 W Dozvoljeni prečnik brusnog diska: 230 mm Brzina pri praznom hodu: 6.600 min-1 Stezna priрубica: M14 Težina: 7,8 kg	3165140617352	201.500,00	241.800,00
0602334534		x	0	2	<a href="http://www.boschproduktoribode.com/lebobocic2_ejsearch.html?searchItem=0602334534">http://www.boschproduktoribode.com/lebobocic2_ejsearch.html?searchItem=0602334534</a>	Ugaona brusilica HWS 810/230	Frekvencija: 300 Hz Napon: 200 V Snaga: 3800 W Dozvoljeni prečnik brusnog diska: 230 mm Brzina pri praznom hodu: 6.600 min-1 Stezna priрубica: M14 Težina: 7,8 kg	3165140617369	201.500,00	241.800,00

HF - ugaona brusilica HWS 810/300										
		Naziv				Tehnički opis		EAN kod	VP cena (RSD)	MP cena (RSD)
0602335001		0	x	7	<a href="http://www.boschproduktoribode.com/lebobocic2_ejsearch.html?searchItem=0602335001">http://www.boschproduktoribode.com/lebobocic2_ejsearch.html?searchItem=0602335001</a>	Ugaona brusilica HWS 810/300	Frekvencija: 200 Hz Napon: 265V Snaga: 2500 W Dozvoljeni prečnik brusnog diska: 300 mm Brzina pri praznom hodu: 4.700 min-1 Stezna priрубica: M14 Težina: 11,0 kg	3165140281720	185.600,00	222.720,00
0602335004		0	x	7	<a href="http://www.boschproduktoribode.com/lebobocic2_ejsearch.html?searchItem=0602335004">http://www.boschproduktoribode.com/lebobocic2_ejsearch.html?searchItem=0602335004</a>	Ugaona brusilica HWS 810/300	Frekvencija: 200 Hz Napon: 135V Snaga: 2500 W Dozvoljeni prečnik brusnog diska: 300 mm Brzina pri praznom hodu: 4.700 min-1 Stezna priрубica: M14 Težina: 11,0 kg	3165140281737	183.300,00	219.960,00
0602335007		0	x	7	<a href="http://www.boschproduktoribode.com/lebobocic2_ejsearch.html?searchItem=0602335007">http://www.boschproduktoribode.com/lebobocic2_ejsearch.html?searchItem=0602335007</a>	Ugaona brusilica HWS 810/300	Frekvencija: 200 Hz Napon: 72V Snaga: 2500 W Dozvoljeni prečnik brusnog diska: 300 mm Brzina pri praznom hodu: 4.700 min-1 Stezna priрубica: M14 Težina: 11,0 kg	3165140281744	185.600,00	222.720,00
0602335034		0	x	7	<a href="http://www.boschproduktoribode.com/lebobocic2_ejsearch.html?searchItem=0602335034">http://www.boschproduktoribode.com/lebobocic2_ejsearch.html?searchItem=0602335034</a>	Ugaona brusilica HWS 810/300	Frekvencija: 300 Hz Napon: 200V Snaga: 3800 W Dozvoljeni prečnik brusnog diska: 300 mm Brzina pri praznom hodu: 5.100 min-1 Stezna priрубica: M14 Težina: 11,0 kg	3165140281751	183.300,00	219.960,00